



# JIP Energiebesparing Gemalen #Slim\_Malen



Klaudia Hováth  
Gebruikersgroep, Delft  
17 March 2017




# Introduction





# Samenhang activiteiten



# Water system





# Goals






CO<sub>2</sub>

€



# Water system



# Water system




# Goals




$$Q_{\min} < Q < Q_{\max}$$

€ ?      Co<sub>2</sub> ?






# Goals




Pump model





$$Q_{\min} < Q < Q_{\max}$$




# Model





# Water system




# Water system



# Example





# Possibilities



$$2^{24} \approx 1.7 * 10^7$$


3 pumps, no interaction


$$(2^{24})^3 \approx 5 * 10^{21}$$

5000 trillion

$1.5 * 10^{14}$  years: 100 billion years, 100 000 000 million years












Water level




Water level



Water level




Water level







Water level




Water level





Water level




Water level












Water level




Water level








Water level




Water level














# Convexity





# Convex functions





**Figure 3.3** Graph of  $f(x, y) = x^2/y$ .

# Convexity



# What have we seen so far?




3 pumps, no interaction



$$(2^{24})^3 \approx 5 * 10^{21}$$

5000 trillion

# What is coming?




# Pilot Rivierenland



# Hydraulics






# Publication












# Open water channels



# Caterorisation







# Application



Geometry, Q, H



Category




Model choice



# Hydraulic structures




# Linge




# Krakedel



$$Q = 0.61B \frac{2}{3} \sqrt{2g} \left( H_{up} - H_{weir} \right)^{3/2}$$



# Weirs




# Pumps








Mr. G.J.H. Kuijksgemaal




# Working area approximation




# Power




# Power approximation




Power Approximation (WF Liessluis)



Power Original



Power Error



# And next...



# Summary



# Summary

