


Joint fact finding supported by the REACT and D-Eco Impact tools

Marc Weeber¹,

Valesca Harezlak¹, Mijke van Oorschot¹, Yuichi Kitanura²

1 Deltares, PO BOX 177, 2600 MH Delft, the Netherlands

2 Chigasaki Research Institute, Chigasaki, Kanagawa, JPOWER, Japan



Challenge of River restoration

- Interdisciplinary cooperation -> because ...
(Experts, Policy makers, Stakeholders)
- Requires a shared understanding
(current issue, (eco)system functioning, trade-offs)
- Bringing together data sources is key!
(models, measurements, satellite, literature, anecdotal)

We need joint fact finding!

We provide the tools:




REACT :

Rapid ecological quickscan for any river catchment on earth using global data
(trait strategies, connection to available data sources, interpretation of results)

D-EcolImpact :

Flexible spatial ecological impact postprocessing model
(calculation core, processing of characteristics on provided data)


Together : Spatiotemporal potential habitat suitability -> integrity of river system



Deltares

See introduction presentation:
 IAHR 2022, Van Oorschot & Harezlak

REACT



Deltares








Workflow REACT

Global datasets

Satellite derived datasets

Ecological relations


Results



Deltares


D-Eco Impact

Data



Knowledge rules (sets of ecological criteria)


Process based model Process-guided model




Deltares

D-Eco Impact : benefits

- Spatial & temporal:
 - Spatial and temporal resolution
(small scale, local, global, short term, long term)
 - Model schematization
(point, polygon, grid, mesh)
- Use-ability:
 - Ease of use
(input file and/or scripting)
 - Expandable
(Python based)
 - Connectable to multiple hydrodynamic/hydrological models
(e.g. Delft-FM, Delf3D, IMOD, WFLOW)
- Supports **FAIR** data processing:
 - **F**indable, **A**ccessible, **I**nteroperable and **R**eusable
(data availability, UGRID NetCDF int. standard, software versioning, Yaml input file, large development team)



Flexible YAML format




UGRID NetCDF format

Deltares


First results (WFLOW analysis)

WFLOW: grid based hydrological modelling platform


Water depth
(summer period)



Flow velocity
(summer period)



Fish trait class suitability
(derived from Aarts et al. 2004)



Deltares


Fish trait class suitability
(derived from Aarts et al. 2004)

First results (Delft3D 4 analysis)




Delft3D4: structured hydrodynamic model



Water depth
(summer period)



Flow velocity
(summer period)



Thank you



Copyright: Anton Balazh

Next steps

- Apply to (more) case studies
- Facilitate workflow and key findings results

Take home messages

- REACT:
 - an ecological quickscan of any river catchment
 - Global data & innovative tools
 - Early engagement of stakeholders
- D-Eco Impact:
 - a flexible broad ecological impact module using data cubes
 - Looking for co-creation partners (going open source)
- **Looking for more partnerships & case studies**

Deltares

REACT

Valesca.harezlak@deltares.nl

D-Eco Impact

Marc.weeber@deltares.nl



- **Oral presentations (10 min + 2 min = 12 min)**
- For oral presentations, we kindly ask you to prepare a 10-minute presentation on your topic. After your presentation, there will be a 2-minute question and answer session, during which the audience will have the opportunity to seek clarification or discuss aspects of your presentation further.