



Wanda DMI

Simone De Kleermaeker

Uncertainty analyses with WANDA

Motivation

- WANDA models become larger and more complex
- Not certain which parameter values are conservative
- Insight in uncertainty results necessary for probabilistic design

Status 2006

- Monte Carlo Simulation for parameter variation well known
- General tool not available

Status 2008


- UATools/OpenDA developed, and coupling WANDA
 - > Partly financed by Min. EZ
- General tool soon (intern) available
 - > Robust
 - > Need / wish, beta-users can come forward

Deltares

DMI, Uncertainty Analyses & Calibration

Data, Models and their integration

- Models contain uncertain parameters, often related to friction or boundary conditions
- Analyse the effect of variation in uncertainty analyses
- Calibration of output against observations
- Correction with optimisation methods



Uncertainty Analyses

Run Wanda model several times while automatically varying the uncertain parameters

Vary uncertain parameters, such as

- Wall roughness
- Initial fluid level Air Vessel, Laplace
- Valve position

Specify variation method, such as

- Range (and stepsize) per parameter
- PDF per parameter, Monte Carlo Simulation (N computations)

Analyze user specified output (monitor points), such as

- Max and min pressure in system
- Min fluid level in air vessel, etc

Deltares

Calibration: Optimization of a costfunction

- · Calibration is defined as an optimization problem
- Elaborate background in statistics

$$min_{p,x(0),w(t)}J = min_{p,x(0),w(t)}J_o + J_p + J_i + J_s$$

- · Measure misfit of model to observations
- Depends on uncertainty of observations (and quality)
 - There is a limit to what can be extracted from observations
 - Number of parameters < independent observations
 - · Common sense, knowledge about the application

Deltares

Calibration: Optimization methods

Simplex

- Try mirror point with largest value
- Try to extend

Powell

- · One line-search per parameter each outer iteration
- Update search directions

Dud

- · Start with modifying each parameter
- Linearize the problem
- If it improves update linearization with new point
- Else do a line-search (only until improvement)

Deltares

WandaDMI & OpenDA

What is OpenDA?

- Set of software interfaces in java
- · Set of data-assimilation algorithms
- Open source (algorithms from TUD, etc)

Communication with Wanda

- OpenDA wrapper for Wanda
- Calls Wanda functions in Wanda.DLL (instead of executable)
 - Prepare
 - Steady
 - Unsteady
- · Communication via Get & Put functions

Deltares

DATools Specification: GUI Which available results must be used UncertainAnalysis (UA), Calibration Uncertainty Specification: Parameter Uncertainties module From Schem.: Items that can be specified as uncertain (parameters on locations) From Schem : Available results ut quantities on locations) Wanda Instances UAWanda-(Wrapper prepair around Wanda-DLL) Filtering Stochastic observer Filter brary Model schematization Observations **Deltares** selected result values for all runs (i.e. for all model instances)