


















| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|--|--------------------|----------------------------|------------------------|--|--|--|---|---|---|
| App - Archive | Deltas | FEWS-15285 | New Feature | Add datamanagementtool to archive server | Archive: Data management tool can be run from command line | The data management tool can now only be run from the command line. This is the last tool which is only available from the command line. Therefore for every archive installation there needs to be an installation of the tools. If this tool is available from the archive web server, this installation step can be skipped. | | | https://publicwiki.deltares.nl/display/FEWSDOC/Archive+installation |
| App - Archive | NWS | FEWS-14998 | New Feature as subtask | FEWS-14997 NWS: FB185 Ability to export and archive mods | Modifiers can be exported and archived | With the FEWS Archive you can set up export workflows for the simulations and modifiers. You can export these simulations and mods to a defined directory structure. This can be done without worrying about the details on the backend processes of the Archive, e.g. bringing data back in from the Archive to an operator client. | |  | https://publicwiki.deltares.nl/display/FEWSDOC/22-2+Export+to+Deltares+Open+Archive |
| App - Configuration Manager Gui | RWS (NL) | FEWS-13719 | Improvement as subtask | FEWS-13718 BIR: Authentication in Operator Client based on AD account | Authentication in OC/CM based on Active Directory | Authentication in OC/CM based on Active Directory Settings. Groups and Permissions will be shared with Delft-FEWS | #Delft-FEWS ini file main.class=nl.wldelft.fews.configmanagement.ConfigManagementApplication classpath.1=*.jar #Java Runtime jvm.dll location vm.location=c:\Program Files\Java\jdk1.8.0_91\jre\bin\server\jvm.dll vmarg.1=-Xms512m vmarg.2=-Xmx1024m vmarg.3=-DautoRollingBarrel=false vmarg.4=-DadminUserGroup=BUILTIN\Administrators #location of the bin dir working.directory=. #region_home directory - Hermes_Region_OC to be replaced with actual region home directory arg.1=Regge | | https://publicwiki.deltares.nl/display/FEWSDOC/Active+Directory+Configuration+Steps |
| App - Data Conversion Module | Nelen & Schuurmans | FEWS-14923 | Improvement as subtask | FEWS-9766 Improvements to Data Import Module (DIM) | Improvements to Data Import Module (DIM) | Deletion of localdata store is now configurable. Added optional configuration element: clearOnStartup. Defaults to true. | <code><?xml version="1.0" encoding="UTF-8"?> <dataConversion xmlns="http://www.wldelft.nl/fews" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.wldelft.nl/fews file:/dataconversion.xsd"> <clearOnStartup>false</clearOnStartup> <activities> <!-- End test config --> <workflowActivity> <workflowId>ImportExportPi</workflowId> </workflowActivity> </activities> </dataConversion> </code> | | https://publicwiki.deltares.nl/display/FEWSDOC/Data+Interface+Module++DIM |
| App - Master Controller Server | Deltas | FEWS-14520 | New Feature as subtask | FEWS-14498 Windows 64 bits support - Master Controller | Master Controller support on 64 bits Windows | All Delft-FEWS components can run 64 bits Operating Systems from 2016.02 | | | https://publicwiki.deltares.nl/display/FEWSDOC/FEWS+64+bit+migration |
| App - Master Controller Server, System | Deltas | FEWS-12957 | Improvement | Improvement to MC restarter script for Windows: does not use JAVA_HOME from registry | Improvement to MC restarter script for Windows: does not use JAVA_HOME from registry | JRE home directory is now passed as an argument in the restarter scripts | | | |
| App - Operator Client Gui (Explorer) | RWS (NL) | FEWS-15435 | New Feature | Tabular overview with color intensity depending on value | TimeSeriesDisplay : table type 'colorMapTable' | 'colorMapTable' is intended to show multiple forecasts in a table, where the table cells get a color depending on the value in the cell. Per time series one table is created and this table contains multiple forecasts . To create this table type, configure classBreaksId and <tableViewerId>colorMapTable</tableViewerId> in the 'plot' section of DisplayGroups. classBreaksId refers to the classBreaks configured in TimeSeriesDisplay.xml If classBreaksId is omitted then the cells are not colored. | Example from DisplayGroups.xml: <code:xml> <plot id="ColorMapTableForecasts"> <subPlot> <classBreaksId>classBreaks1</classBreaksId> <timeSeriesSet> <moduleInstanceId>ImportExternalForecast</moduleInstanceId> <valueType>scalar</valueType> <parameterId>Q.metring</parameterId> <locationSetId>AllLocations</locationSetId> <timeSeriesType>externalForecasting</timeSeriesType> <timeStep unit="hour"/> <readWriteMode>read complete forecast</readWriteMode> </timeSeriesSet> <timeSeriesSet> <moduleInstanceId>ImportSimulated</moduleInstanceId> <valueType>scalar</valueType> <parameterId>Q.sim</parameterId> <locationSetId>AllLocations</locationSetId> <timeSeriesType>simulatedForecasting</timeSeriesType> <timeStep unit="hour"/> <readWriteMode>read complete forecast</readWriteMode> |  | https://publicwiki.deltares.nl/display/FEWSDOC/03+Display+Groups |



| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|--|---------------------|----------------------------|------------------------|--|---|---|---|---|---|
| App - Operator Client Gui (Explorer), Plugin - Gui - Time Series | HDSR | FEWS-15042 | New Feature as subtask | FEWS-14620 Create (in csv configurable) longitudinal profiles based on normal locations. | Create (read-only) longitudinal profile based on available scalar timeseries | Possibility to view scalar time series for multiple locations as longitudinal profile. This is read only, and so far just for viewing. There needs to be a separate locationset which refers to a location attribute which determine whether the location is part of the profiel and at which chainage. | <pre>locationSets.xml {code} <locationSets xsi:schemaLocation="http://www.wldelft.nl/fews ./schemas/locationSets.xsd" version="1.1" xmlns="http://www.wldelft.nl/fews" xmlns:xsi="http://www.w3.org/2001/XMLSchema instance"> <locationSet id="HDSR_CHAINAGE"> <csvFile> <file>HDSR_CHAINAGE_LOCATIONS</file> <geoDatum>Rijks Driehoekstelsel</geoDatum> <id>%LOCID%</id> <name>%OMSCHRIJV%</name> <description>HDSR_CHAINAGE</description> <x>%X%</x> <y>%Y%</y> <attributeFile> <csvFile>CHAINAGE_A.csv</csvFile> <id>%ID%</id> <timeZoneOffset>+0:00</timeZoneOffset> <attribute id="CHAINAGE_A"> <text>%CHAINAGE%</text> </attribute> </attributeFile> <attributeFile> <csvFile>CHAINAGE_B.csv</csvFile> <id>%ID%</id> <timeZoneOffset>+0:00</timeZoneOffset></pre> |  | https://publicwiki.deltares.nl/display/FEWSDOC/02+LocationSets#id-02LocationSets-chainageLocationAttributedId |
| App - Operator Client Gui (Explorer), Plugin - Gui - Time Series | HDSR | FEWS-15045 | New Feature as subtask | FEWS-14620 Add option to choose between normalisation for peaks/lows over duration or height | option to choose between normalisation for peaks/lows over duration or height | For peaksAbove and lowsBelow statistical function there will be a choice to normalize over the height of the peak (and keep the absolute duration) or normalise over the duration of the peak (and keep the maximum value of the peak). The normalization will be specified in the x or y axis. | | | https://publicwiki.deltares.nl/display/FEWSDOC/statistical+functions#Statisticalfunctions-Normalizedduration |
| App - Operator Client Gui (Explorer) | HDSR | FEWS-15719 | Improvement | Extend geographic version management slider | Extended geographic version management slider | Extended geographic version management slider for filtering on locations, location-relations, location-attributes and polygons |  | | https://publicwiki.deltares.nl/display/FEWSDOC/21+Time+Dependent+Locations |
| Configuration | Deltares | FEWS-11322 | Improvement | Configuration inconsistency error after changing moduleInstanceSets | Configuration inconsistency prevented | A configuration mistake can now be fixed without getting warnings and will work correctly after rerunning the workflow and without removing rows from the database The module instance instance set should still be narrow enough to resolve a single module instance id. Practical this means that a parameter / location / qualifier should be written by one module instance. | | | |
| Configuration | Noorderzijlvest WAM | FEWS-15451 | Improvement | Make it possible to use enumerationId for parameters which are defined in parameters csv file | Option to use enumerationId for parameters (from parameters csv file) | <pre>{code:xml} <parametersCsvFile> <file>parameters.csv</file> <id>%ID%</id> <name>%NAME%</name> <group>%GROUP_ID%</group> <groupName>%GROUP_NAME%</groupName> <enumerationId>%ENUMERATION_ID%</enumerationId> <unit>%UNIT%</unit> </parametersCsvFile> {code}</pre> | | | https://publicwiki.deltares.nl/display/FEWSDOC/03+Parameters |
| Configuration | Noorderzijlvest WAM | FEWS-15452 | Improvement | Make it possible to define a groupName (next to groupId) for parameters which are defined in parameters csv file | Option to define a groupName (next to groupId) in parameter csv file | <pre>{code:xml} <parametersCsvFile> <file>parameters.csv</file> <id>%ID%</id> <name>%NAME%</name> <group>%GROUP_ID%</group> <groupName>%GROUP_NAME%</groupName> <enumerationId>%ENUMERATION_ID%</enumerationId> <unit>%UNIT%</unit> </parametersCsvFile> {code}</pre> | | | https://publicwiki.deltares.nl/display/FEWSDOC/03+Parameters |
| Database | Deltares | FEWS-14582 | New Feature | When using direct database access the FSS cannot load *.nc mapLayerFiles from the dataStore | DDA Operator Clients now supports *.nc files as mapLayerFiles | DDA Operator Clients now supports *.nc files as mapLayerFiles | | | |
| Database | NWM (NL) | FEWS-15694 | Improvement | Reduce memory usage for NWM | Performance and memory usage improvement for large systems | A performance and memory usage improvement has been implemented. This effects systems with large amounts of locations, parameters, qualifiers, ensembles etc. By an indexation for the same location and parameter this is optimized. This all happens 'under the hood'. No configuration change or rerun of workflows is needed. The newly generated index files in the localDataStore directory contain this feature automatically. | <pre>{code:xml} <timeSeriesSet> <moduleInstanceId>Sobek</moduleInstanceId> <valueType>scalar</valueType> <scalarSetId>Sobek</scalarSetId> <parameterId>H.forecast</parameterId> <locationSetId>Sobek</locationSetId> <timeSeriesType>simulatedForecasting</timeSeriesType> <timeStep unit="minute" multiplier="5"/> <readWriteMode>addOriginals</readWriteMode> </timeSeriesSet> {code}</pre> | | |




| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation | |
|---|----------------------|----------------------------|------------------------|---|---|--|--|---|---|---|
| Database, System - Synchronisation | NWS | FEWS-15837 | Improvement | Additional columns in Modifiers table and synchronisation accordingly for properly updating icons and displaying the original creator userId. | A series of new columns has been added in the Modifiers table | The new columns are: userCreationTime, userModificationTime, creatorUserId, previousTaskRunId, previousModifid, Attachments | | | | |
| Debug Tool - Database Viewer, Plugin - Gui - Forecast Manager | Deltaires | FEWS-15469 | New Feature | Filter By Branch button in forecast manager / database viewer | A "filter by branch" button added to Forecast Manager Dialog and Database Viewer | This button shows a list of all module instances for the selected run. After selecting the module instance all task runs linked to the selected task run are displayed | | | https://publicwiki.deltaires.nl/display/FEWSDOC/07+Forecast+Manager | |
| Module Adapter - All | RWS (NL) | FEWS-14916 | New Feature | RWsOS-Meren: update Pcoverslag adapter | Refactoring of Model Adapter code: PCoverslag moved to model adapter package | Adapter is moved next to the other adapters, outside the main FEWS code. Bug has been fixed where adapter caused FEWS to crash and shutdown randomly. An extra output parameter is read. | | | https://publicwiki.deltaires.nl/display/FEWSDOC/PCoverslag | |
| Module Adapter - DFlow-FM, Plugin - Module - Data Export | Deltaires (research) | FEWS-15292 | New Feature as subtask | FEWS-15231 Export 3D boundary data from FEWS to be used in a D-Flow FM model | Created new InterpolationSpatialVerticalProfileClosestDistance transformation and netcdf export for vertical profiles | Created new InterpolationSpatialVerticalProfileClosestDistance transformation: Converts 2d grids to vertical profiles. Input: one or more horizontal 2D grid time series (layers), that together form one 3D grid time series. Output: one or more vertical profile time series. For each output vertical profile time series the x,y coordinates of its configured location are used to slice the input 3D grid time series to create a vertical profile. For each output x,y coordinate the corresponding values in the input grids are found using closestDistance interpolation within the specified searchRadius (optional). The z-coordinates of the values in the output vertical profiles are the same as the z-coordinates of the input grid layers. Added new netcdf exportType "NETCDF-CF_DOMAIN" to export time series with domain parameters to a netcdf file. Vertical profile time series can be exported with this new exportType "NETCDF-CF_DOMAIN". A vertical profile time series must have a single domain parameter that indicates the height along the vertical profile. The height domain parameter must have the verticalPositiveDirection defined in the parameters.xml config file, otherwise the export will not add the proper metadata to the height variable in the exported netcdf file. | <pre><!-- input variable with a locationSet that contains one grid location for each horizontal layer --> <variable> <variableId>input</variableId> <timeSeriesSet> <moduleInstanceId>InterpolationSpatialVerticalProfileClosestDistanceTest</moduleInstanceId> <valueType>grid</valueType> <parameterId>H.m</parameterId> <locationSet>gridLayersLocationSet</locationSet> <timeSeriesType>external_historical</timeSeriesType> <timeStep unit="day"/> <relativeViewPeriod unit="day" start="0" end="6"/> <readWriteMode>add</readWriteMode> </timeSeriesSet> </variable> <!-- output variable with a locationSet that contains one location for each vertical profile --> <variable> <variableId>output</variableId> <timeSeriesSet> <moduleInstanceId>InterpolationSpatialVerticalProfileClosestDistanceTest</moduleInstanceId> <valueType>scalar</valueType></pre> | | | https://publicwiki.deltaires.nl/display/FEWSDOC/D-Flow+FM+adapter |
| Plugin - Gui - Forecast Manager | TVA | FEWS-15733 | Improvement as subtask | FEWS-10616 Deletion from branches in the Forecast Expiry time should get a popup warning | A warning pops up when a user deletes a taskrun / changes expiry time for a taskrun that is part of a branch. | The user will get the warning "One or more selected TaskRuns belong to a branch. Adjusting the expiry time of a TaskRun belonging to a branch can cause inconsistencies in the database. Proceed anyway?" | | | | |
| Plugin - Gui - Grid Display | Deltaires | FEWS-14385 | Improvement | griddisplay - defaults should also be linked to plotId not only groupplotId | Configuration defaults like Classbreaks and Geomap settings can be assigned to plotId | In the Spatial Display, you can define defaults for plots such as Classbreaks and Geomap settings. This saves space so that these settings do not have to be defined in every individual plot. In the past these settings could only be assigned to the default plotgroupid. Now they can also be assigned to a plotid. | | | https://publicwiki.deltaires.nl/display/FEWSDOC/05+Spatial+Display | |
| Plugin - Gui - Grid Display | Deltaires (research) | FEWS-14600 | New Feature as subtask | FEWS-14599 Using curved vectors in spatial display | Spatial Display now shows curved vectors by default | No configuration needed. The tail of flow arrows is now always curved | |  | https://publicwiki.deltaires.nl/display/FEWSDOC/05+Spatial+Display | |
| Plugin - Gui - Grid Display | Idaho Power | FEWS-15853 | Improvement as subtask | FEWS-14466 Link to a related location in the Spatial Display | Possible to use related locations in Spatial Display | Link to a related location in the timeseriesSet configuration in the Spatial Display now displays the correct data | | | https://publicwiki.deltaires.nl/display/FEWSDOC/01+Related+Locations | |
| Plugin - Gui - Grid Display | Pudong (China) | FEWS-16021 | Improvement | Allow projection file (prj) for regular grids in grids.xml and ascii grids layers | Extended regular grid definition to assign a *prj file (from mapLayers) to derive the grid definition | Grid definition (in xml) has been extended for regular grids. It is now possible to assign a *prj file (from mapLayers) to derive the grid definition | <pre><code.xml> <regular locationId="MRMS"> <description>MRMS grid</description> <rows>377</rows> <columns>850</columns> <projectionFile>Cumberland_Basins.prj</projectionFile> <firstCellCenter> <x>-89.5</x> <y>37.665</y> <z>0.0</z> </firstCellCenter> <xCellSize>0.01</xCellSize> <yCellSize>0.01</yCellSize> </regular> </code></pre> | | https://publicwiki.deltaires.nl/display/FEWSDOC/06+Grids | |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|---|---------------------|----------------------------|------------------------|---|--|--|---|---|---|
| Plugin - GUI - IFD - Dataviewer | Noorderzijlvest WAM | FEWS-13021 | New Feature as subtask | FEWS-13016 Automatic Filter tree build up (Dataviewer) on the basis of attribute(group) | Configuration option for a 'group by' function for attributes to build up the Filter tree automatically. | The use of attributeFiles for parameters is introduced. This was already available for locations but now also for parameters, this enable the use of multivalued parameter attributes. | Implementation example: (code) <filter id="groupByParameterAttribute"> <relativeViewPeriod start="-100000" end="0" unit="day"/> <parameterConstraints> <idStartsWith prefix="" /> </parameterConstraints> <groupBy> <parameterAttributeId>ATTRIBUTE_1</parameterAttributeId> </groupBy> </filter> (code) |  | https://publicwiki.deltares.nl/display/FEWSDOC/23+Attribute+filter |
| Plugin - GUI - IFD - Dataviewer | | FEWS-13006 | Improvement as subtask | FEWS-9861 NWS: FB1772: IFD status icons incorrect for OC clients | IFD status icons indicates correct situation | | |  | https://publicwiki.deltares.nl/display/FEWSDOC/23+Interactive+Forecasting+Displays |
| Plugin - GUI - IFD - Dataviewer | RWS (NL) | FEWS-15522 | Improvement | Add description box on bottom of topology panel | Description box added at bottom of Topology panel | Description box added at the bottom of Topology panel | |  | https://publicwiki.deltares.nl/display/FEWSDOC/23+Interactive+Forecasting+Displays |
| Plugin - GUI - IFD - Forecaster Help | NWS | FEWS-15085 | New Feature as subtask | FEWS-14997 NWS: FB142 Allow user to select editor for Document Viewer | Allow user to edit text files in document viewer | When selecting a text file in the forecast helper panel, the document viewer will display an edit and save button enabling the user to edit the file. | | | https://publicwiki.deltares.nl/display/FEWSDOC/23+Interactive+Forecasting+Displays#id-23InteractiveForecastingDisplays-Forecasterhelp |
| Plugin - GUI - IFD - Forecasts | BC Hydro | FEWS-14160 | Improvement as subtask | FEWS-11235 IFD thumbnails: open the specific thumbnail plot that was selected at the previous node, when available. | Selected location/parameter is preserved (when possible) while switching segments | In IFD, when selecting a different segment, the parameter / location selection in the thumbnails is preserved when possible. This is consistent with the behavior when selecting a different filter. There is no lock button added | |  | https://publicwiki.deltares.nl/display/FEWSDOC/23+Interactive+Forecasting+Displays |
| Plugin - Gui - Tabular Config Files Display | Deltares | FEWS-15538 | Improvement | Tabular Config Display row filters with 0 results | Tabular Config Files Display behaviour improved | In the Tabular Config Files Display, the footer now displays a warning if there are no visible rows due to active filters. | | TO BE INSERTED | https://publicwiki.deltares.nl/display/FEWSDOC/20+Tabular+Config+Files+Display |
| Plugin - Gui - Time Series | NWS | FEWS-15196 | New Feature as subtask | FEWS-14997 NWS: FB113 Ability to configure temporal scaling of plots | TSD plots : aligning date/time ticks with the valid times of the (cardinal) time step | To tie the date/time ticks to the valid times of the (cardinal) time step, configure 'tickTimeStep' in DisplayGroups.xml. For example, if the 'tickTimeStep' is 6 hours then the ticks are always aligned with the synoptic times 00Z, 06Z, 12Z, 18Z. When we are zooming out and there is no space to display all date/times along the x-axis, then one or more synoptic times ticks are omitted. For example we see ticks at 00Z and 18Z. | Example from DisplayGroups.xml: (code) <displayGroup name="CardinalTimestepTicks"> <display name="plotId used"> <tickTimeStep unit="hour" multiplier="6"/> <plotId>Plot1</plotId> </display> </displayGroup> (code) |  | https://publicwiki.deltares.nl/display/FEWSDOC/03+Display+Groups |


| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|-------------------------------------|---------------|----------------------------|------------------------|--|--|--|--|--|---|
| Plugin - Gui - Time Series | Deltas-USA | FEWS-15904 | Improvement as subtask | FEWS-10616 show Interval Statistics Display in displayUnits | Interval Statistics Display now shows values in the configured DisplayUnits | Interval Statistics Display now shows values in the configured DisplayUnits | |  | https://publicwiki.deltas.nl/display/FEWSDOC/28+Interval+Statistics+Dialog |
| Plugin - Gui - Time Series | HDSR | FEWS-14563 | Improvement as subtask | FEWS-14620 TSD: Option to Hide/switch-off original Timeseries when looking at Statistical series | Checkbox added to hide original timeseries | Checkbox is added for statistical functions to hide the original time series. This will be stored in the user settings so the choice will be shared between different functions. | |  | https://publicwiki.deltas.nl/display/FEWSDOC/statistical+functions#Statisticalfunctions-Hideoriginaltimeseries |
| Plugin - Gui - Time Series | HDSR | FEWS-15040 | New Feature as subtask | FEWS-14620 Add table in hideable panel that shows (time depended) validation criteria for selected timeserie table | Validation Rules available in (hideable) panel in TimeSeriesDisplay | A hideable panel is added that shows the validation criteria for the selected time series on the selected time. | |  | https://publicwiki.deltas.nl/display/FEWSDOC/04+Data+Display+and+Data+Editor#04+Data+Display+and+Data+Editor-ValidationRules(hideablepanel) |
| Plugin - Gui - Time Series | HDSR | FEWS-15044 | New Feature as subtask | FEWS-14620 Possibility to split double peaks/lows in peaksAbove/lowsBelow statistical plots | Option added to search for double peaks/lows | Possibility to split double peaks/lows in peaksAbove/lowsBelow statistical plots, by giving in a minimal value difference between the local minimum that separates the peaks. | |  Figure 1. Vertical arrows show the topographic prominence of three peaks on an island. The dashed horizontal lines show the lowest contours that do not encircle higher peaks. Curved arrows point from a peak to its parent. | https://publicwiki.deltas.nl/display/FEWSDOC/statistical+functions#Statisticalfunctions-Splitpeaks |
| Plugin - Gui - Time Series | HDSR | FEWS-15043 | New Feature as subtask | FEWS-14620 Add possibility to show multiple seasons and years in scatter plot, peaksAbove and lowsBelow statistical function plots | Options added to distinguish between years and/or seasons using coloring | Added historical scatter plot and historical peaks above and historical lows below statistical functions. With these function the user can separate different years and different parts of years (seasons) by selecting/deselecting and choosing unique colors per season and/or year. | <code>{code:xml} <statisticalFunction function="historicalScatterPlot"/> <statisticalFunction function="historicalShowLowsBelow"/> <statisticalFunction function="historicalShowPeaksAbove"/> {code}</code> |  | https://publicwiki.deltas.nl/display/FEWSDOC/statistical+functions |
| Plugin - Gui - Time Series Modifier | NWS | FEWS-12312 | Improvement as subtask | FEWS-14997 NWS: FB1561. add filtering option in ModifierTypes to specify mods for deterministic or ensemble runs | Option to filter in ModifierTypes to specify mods for deterministic or ensemble runs | Added filtering option in ModifierTypes to specify mods for deterministic or ensemble runs | | | https://publicwiki.deltas.nl/display/FEWSDOC/25+ModifierTypes |
| Plugin - Gui - Time Series Modifier | BSH | FEWS-14443 | New Feature as subtask | FEWS-14471 Add modifier for "Staumatrix fullen" (p2) | New Modifier added using referenceColumns | | <code>{code:xml} <highLowSurgeSelectionModifier id="stauMatrix1" name="StauMatrix1"> <modifierColumn name="Modifier"> <timeSeries> <moduleInstanceId>ImportStauMatrix</moduleInstanceId> <parameterId>Surge</parameterId> <qualifierId>Default</qualifierId> </timeSeries> </modifierColumn> <referenceColumn name="ModelA"> <timeSeries> <moduleInstanceId>ImportStauMatrix</moduleInstanceId> <parameterId>Surge</parameterId> <qualifierId>ModelA</qualifierId> </timeSeries> </referenceColumn> <referenceColumn name="ModelB"> <timeSeries> <moduleInstanceId>ImportStauMatrix</moduleInstanceId> <parameterId>Surge</parameterId> <qualifierId>ModelB</qualifierId> </timeSeries> </referenceColumn> {code}</code> |  | https://publicwiki.deltas.nl/display/FEWSBSH/6+-+Staumatrix+fullen |
| Plugin - Gui - Time Series Modifier | MDBA | FEWS-15001 | Improvement as subtask | FEWS-14730 MDBA: Development: Search functionality for location list on modifiers tab | (incremental) search added to location list on Modifiers Tab | Search functionality for location list on modifiers tab added | | | https://publicwiki.deltas.nl/display/FEWSDOC/16+Modifier+display |
| Plugin - Gui - Time Series Modifier | NWS | FEWS-15197 | New Feature as subtask | FEWS-14997 NWS: FB1227 Time Series Modifier display option to view original or "active" modified timeseries | Option added to view original or active modified timeseries | Time Series Modifier display option to view original or "active" modified timeseries | |  | https://publicwiki.deltas.nl/display/FEWSDOC/16+Modifier+display |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation | | |
|--|------------------------|----------------------------|------------------------|--|---|--|---|--|---|---|---|
| Plugin - Module - (Primary) Validation | FOEN (CH) | FEWS-15875 | Improvement | Configuration of Validation with Year and Month limits is confusing | Improved configuration for Year/Month limits validationRules | Configuration of Validation with Year and Month limits have been improved | | | https://publicwiki.deltares.nl/display/FEWSDOC/08+ValidationRulesets | | |
| Plugin - Module - Archive | SWITCH-ON / EU Project | FEWS-15315 | New Feature | SWITCH-ON: Add harvesting of events files to Geonetwork Harvester | Harvesting of events files added to Geonetwork Harvester | Add harvesting of events files to Geonetwork Harvester | | | https://publicwiki.deltares.nl/display/FEWSDOC/Archive+installation | | |
| Plugin - Module - Data Export, System - PI Service | NRW (Wales) | FEWS-15556 | Improvement | PiTimeSeriesSerializer: Add threshold label from thresholdValueSets added to thresholdValuesSets | Threshold label from thresholdValueSets added to PI-Timeseries export | Add threshold label from thresholdValuesSets to the PI-Timeseries export routine | {code} <?xml version="1.0" encoding="UTF-8"?> <TimeSeries xmlns="http://www.wldelft.nl/fews/PI" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.wldelft.nl/fews/PI http://fews.wldelft.nl/schemas/version1.0/pi-schemas_pi_timeseries.xsd" version="1.22" xmlns:fs="http://www.wldelft.nl/fews/fs"> <timeZone>1.0</timeZone> <series> <header> <type>instantaneous</type> <moduleId>Alyn_Data_PostProcessing</moduleId> <locationId>A22d_int</locationId> <parameterId>H.simulated</parameterId> <qualifierId>r0</qualifierId> <timeStep unit="second" multiplier="900"/> <startDate date="2016-08-01" time="09:00:00"/> <endDate date="2016-08-02" time="10:00:00"/> <forecastDate date="2016-07-19" time="08:00:00"/> <missVal>-999.0</missVal> <stationName>Rhyd-y-goleu</stationName> <lat>53.17723352481261</lat> <lon>-3.1517708159157634</lon> <x>323030.0</x> <y>365110.0</y> <z>106.324</z> | | | | https://publicwiki.deltares.nl/display/FEWSDOC/PI+Export |
| Plugin - Module - Data Export | TVA | FEWS-15216 | New Feature as subtask | FEWS-10616 export option for value resolution | Export option for value resolution added | Export option for value resolution. An extra element was added to the parameterGroup called: "valueResolutionUnit". When configured this is used for exporting. | {code:xml} <parameterGroup id="Discharge"> <parameterType>instantaneous</parameterType> > <unit>CMS</unit> <displayUnit>CFS</displayUnit> <valueResolution>0.01</valueResolution> <valueResolutionUnit>CFS</valueResolutionUnit> ... |  | https://publicwiki.deltares.nl/display/FEWSDOC/03+Parameters | | |
| Plugin - Module - Data Export | NWS | FEWS-15087 | Improvement as subtask | FEWS-14997 NWS: FB1869 include comment element in rating curve exports | Included a comment element in rating curve exports | Included a comment element in rating curve exports | | | https://publicwiki.deltares.nl/display/FEWSDOC/25+PI+Rating+Curve | | |
| Plugin - Module - Data Export | NWS | FEWS-14999 | New Feature as subtask | FEWS-14997 NWS: FB187 Ability to dump out a complete set of Warm States which can be used as Cold States | Complete set of Warm States can be exported to be used as Cold States | A complete set of Warm States which can be used as Cold States can be exported. In the Explorer using F12+T, current warm states are exported for the current module runs, T0/system time is ignored. It exports for current module runs and for the current branches. This can give problems when the historical module instance id of the state is also used in another workflow that does not produce states. Code has been changed so it will search in the whole branch till the system time. A folder structure to the exported warm states for both export 'current' warm states and export 'all' warm states. The most recent state in the current branch per module instance is exported. This is the same method as used in the export state activity | | |  | https://publicwiki.deltares.nl/display/FEWSDOC/The+F12+menu | |
| Plugin - Module - Data Export | TVA | FEWS-15069 | Improvement as subtask | FEWS-10616 Enhance generalCSV export | Multiple value columns are allowed in generalCSV export | Multiple value columns are allowed per row when specifying parameters or locations with it. For restrictions, see link to Documentation | {code} <table> <dateTimeColumn name="DATE_SMP" pattern="yyyyMMddHHmm"/> <locationColumn name="LOC"/> <valueColumn name="PAR_A" parameterId="A"/> <valueColumn name="PAR_B" parameterId="B"/> </table> | | | https://publicwiki.deltares.nl/display/FEWSDOC/General+CSV+Export | |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|-------------------------------|---------------|----------------------------|------------------------|---|---|---|---|---|---|
| Plugin - Module - Data Export | NWS | FEWS-15000 | New Feature as subtask | FEWS-14997 NWS: FB155 Add ability to export changed (qc'd) data for import into another (WHFS) database | Exporting manual changes for a timeSeriesSet now makes use of a relativeViewPeriod | When using a general timeSeries export, the exportManualChanges can be used to only export manual changes. When configured, the relativeViewPeriod in the accompanying timeSeriesSet is used to determine the scope of the timeSeries exported. | <export><general><exportType>PI</exportType><folder>./junit_test_output/nl/wldelft/fews/system/plugin/dataExport/TimeSeriesExportTest/exportManualValuesAndFlags/export</folder><exportFileName><name>manualValuesAndFlags_RelativeViewPeriod</name></exportFileName><idMapId>Telemetry</idMapId><unitConversionsId>UnitConversions</unitConversionsId><flagConversionsId>FlagConversions</flagConversionsId><exportMissingValueString>999.0</exportMissingValueString><exportManualChanges><exportNewManualEntries>true</exportNewManualEntries><exportManualFlagChanges>true</exportManualFlagChanges><exportManualValueChanges>true</exportManualValueChanges></exportManualChanges></general><timeSeriesSet><moduleInstanceId>ExportRunMultipleTimeSeries</moduleInstanceId><valueType>scalar</valueType><parameterId>P_m</parameterId> | | |
| Plugin - Module - Data Import | | FEWS-15787 | New Feature as subtask | FEWS-15696 New import to read track data from a netcdf file | New import type "NETCDF-CF_TRAJECTORY" for importing track data from netcdf files. | Created new import type "NETCDF-CF_TRAJECTORY" for importing track data from a netcdf file. This can be used for importing data that is valid according to the CF-1.6 conventions for featureType "trajectory" (FEWS supports only a single track per file) or featureType "point" (all points in the file are imported together to form a single track). See config example and screenshots. | Example import id map config file: {code:xml}<idMap xmlns="http://www.wldelft.nl/fews" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.wldelft.nl/fews http://fews.wldelft.nl/schemas/version1.0/idMap.xsd" version="1.1"><parameter internal="latitude" external="lat"/><parameter internal="longitude" external="lon"/><parameter internal="H.m" external="ssh"/><!-- dummy locationId (not used by track import) --><location internal="H-2001" external="dummy"/></idMap></code> Example time series import run config file: {code:xml}<timeSeriesImportRun xmlns="http://www.wldelft.nl/fews" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.wldelft.nl/fews http://fews.wldelft.nl/schemas/version1.0/timeSeriesImportRun.xsd"><import><general><importType>NETCDF-CF_TRAJECTORY</importType><folders>/junit_test_output/nl/wldelft/fews/cuct |  | https://publicwiki.deltares.nl/display/FEWSDOC/NETCDF-CF_TRAJECTORY |
| Plugin - Module - Data Import | EU | FEWS-15946 | Improvement | Add parameter to Landsat-HDF5 | DSSF parameter added to Landsat-HDF5 import | DSSF parameter added to import Landsat-HDF5 to be able to read parameters from LSA SAF data | | | https://publicwiki.deltares.nl/display/FEWSDOC/Landsat-HDF5 |
| Plugin - Module - Data Import | Deltas | FEWS-15688 | Improvement | Grib files with multiple forecast reference times fail | NetCDF 4.6 libraries incorporated | NetCDF 4.6 libraries incorporated in Delft-FEWS. A number of issues are related to this upgrade to more recent version of this important library. | | | https://publicwiki.deltares.nl/display/FEWSDOC/NetCDF-formats+that+can+be+imported+in+Delft-FEWS |
| Plugin - Module - Data Import | Deltas | FEWS-15687 | Improvement | Grib2 parameter names has been changed and the existing IdMap files are no more backward compatible | NetCDF 4.6 libraries incorporated | NetCDF 4.6 libraries incorporated in Delft-FEWS. A number of issues are related to this upgrade to more recent version of this important library. | | | https://publicwiki.deltares.nl/display/FEWSDOC/NetCDF-formats+that+can+be+imported+in+Delft-FEWS |
| Plugin - Module - Data Import | Deltas | FEWS-15686 | Improvement | Extract value resolution from GRIB file | NetCDF 4.6 libraries incorporated | NetCDF 4.6 libraries incorporated in Delft-FEWS. A number of issues are related to this upgrade to more recent version of this important library. | | | https://publicwiki.deltares.nl/display/FEWSDOC/NetCDF-formats+that+can+be+imported+in+Delft-FEWS |
| Plugin - Module - Data Import | BPA Hermes | FEWS-15543 | New Feature | BPA-HERMES: Allow configuring date formatted debug folders for server parsers and server serializers | Key-value pair properties can be used to redirect logging | Requested new feature to allow configuring a formatted date string in the debug path of the HermesTimeSeriesServerParser. Currently it is possible to configure a directory where all service requests and responses are written. If however many of these files are written it becomes hard to find the debug messages you are looking for. Allow user to configure sub directories using a additional date format property that defines how to format the a timestamp as sub directories of the root folder. | {code}<properties><string key="RequestType" value="THOR"/><string key="RequestsOutputDirectory" value="c:/temp/testHermes"/><string key="DebugFolderDatePattern" value="yyyy-MM-dd/HHmm" /></properties></code> | | |
| Plugin - Module - Data Import | NWS | FEWS-13415 | Improvement as subtask | FEWS-14997 NWS FB1846 Upgrade NetCdf to version 4.6 to read NSSL-Like grib2 files | Upgrade NetCDF Java library to version 4.6.3 to read NSSL-Like grib2 files and to write compressed Netcdf 4 files | The new NetCDF Java library version 4.6.3 is more strict than the old version. If the global attribute "Conventions" is not specified in the netcdf file (e.g. Conventions="CF-1.6"), then the library uses a default convention (different from CF), which can cause unexpected behaviour in the Netcdf import in FEWS. |  | | https://publicwiki.deltares.nl/display/FEWSDOC/NetCDF-formats+that+can+be+imported+in+Delft-FEWS |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation |
|--|-------------------|----------------------------|------------------------|---|---|---|--|---|---|
| Plugin - Module - Data Import | RWS (NL) | FEWS-15447 | Improvement | One import status for several import with same DatafeedID | Import status indicator only updated when new data arrived | Before creating an import status a check is done to see if any files where imported or have failed. If this is not the case then no update status is given. This assures that the status is only updated when something has been imported and also that status is not being overwritten by empty imports. | | | https://publicwiki.deltares.nl/display/FEWSDOC/06+System+Monitor+Display |
| Plugin - Module - Data Import | RWS (NL) | FEWS-16028 | Improvement | Netcdf longitudinal profile import should accept files where "nodenames" variable is called differently | Netcdf longitudinal profile import now uses the cf_role attribute to find the nodenames variable in the netcdf file. If not found, then it uses the variable called "nodenames" for backwards compatibility. | | | | https://publicwiki.deltares.nl/display/FEWSDOC/NETCDF-CF_PROFILE |
| Plugin - Module - Data Import | NWS | FEWS-15840 | Task | Upgrade NetCdf to version 4.6 - fixing junit tests from NetcdfGridDatasetTimeSeriesParserTest class | NetCDF 4.6 libraries incorporated | NetCDF 4.6 libraries incorporated in Delft-FEWS. A number of issues are related to this upgrade to more recent version of this important library. | | | https://publicwiki.deltares.nl/display/FEWSDOC/NetCDF-formats+that+can+be+imported+in-Delft-FEWS |
| Plugin - Module - Data Import | RWS (NL) | FEWS-15718 | New Feature | Import (HVZ-)LILA: read Vorhersagezeitpunkt from metainfo to determine external forecast time | External forecast time is read for LILA import | External forecast time is read for LILA import | | | https://publicwiki.deltares.nl/display/FEWSDOC/HVZ-LILA |
| Plugin - Module - Modifiers (ModuleParameters) | NWS | FEWS-11276 | New Feature as subtask | FEWS-14997 NWS: FB1466. Use of Percolation Analysis Function in Calibration Modifier Display | Use of Percolation Analysis Function in Calibration Modifier Display | | |  | |
| Plugin - Module - Modifiers (TimeSeries) | NWS | FEWS-11278 | New Feature as subtask | FEWS-14997 NWS: FB509. ROCHNG/TSCHNG mods window plot & table do not reflect the proper valid period | ROCHNG/TSCHNG mods window plot & table do not reflect the proper valid period | | | | |
| Plugin - Module - Reports | NWS | FEWS-15037 | Improvement as subtask | FEWS-14997 NWS: FB1845 Ability to include data labels on an external report image | In the reports added a new option to show value labels in generated spatialPlotSnapshots, animatedGif or avi files. This is very similar to the value labels button in the Spatial Display. Please note that labels will not be drawn if they would overlap other labels (decluttering), therefore some locations may not have a label on the map. | {code:xml} <spatialPlotSnapshots id="test"> ... <width>500</width> <height>450</height> <valueLabels> <showUnits>true</showUnits> </valueLabels> <snapshot id="precipitation"> <relativeTime value="0" unit="hour"/> <fileName>precipitation</fileName> </snapshot> </spatialPlotSnapshots> {code} |  | https://publicwiki.deltares.nl/display/FEWSDOC/09+Report+Module#id-09ReportModule-Spatialplotsnapshots | |
| Plugin - Module - Reports | Wupperverband (D) | FEWS-15249 | New Feature | Spatial display export: configure time stamp size | Reports – spatialPlotSnapshots: font of dateLabel is configurable | Relevant configuration fragment from Reports.xml: {code:xml} <spatialPlotSnapshots id="spatialPlotSnapshot"> <snapshot id="Snapshot"> <relativeTime value="0" unit="hour"/> <fileName>SnapshotFile</fileName> <dateLabel visible="true"> </dateLabel> </snapshot> </spatialPlotSnapshots> {code} |  | https://publicwiki.deltares.nl/display/FEWSDOC/09+Report+Module#id-09ReportModule-Spatialplotsnapshots | |
| Plugin - Module - Transformation | Deltas (research) | FEWS-14224 | New Feature | New transformation: statisticsCommonAttributes function; uitbreiden statisticsRelatedLocations | New transformation: statisticsCommonAttributes function | New transformation: statisticsCommonAttributes function which loops over input/outputlocations in which the common attributes will be 'selected' to generate statistics. Type of statistic (mean, min, max etc) is configurable. Multiple attributes are possible and can be managed through CSV files | | | https://publicwiki.deltares.nl/display/FEWSDOC/20+Transformation+Module+-+Improved+schema |
| Plugin - Module - Transformation | Deltas | FEWS-15773 | Improvement | Inverse distance slow when irregular source grid crosses date line. | Improved inverse distance interpolation | Only happens when having a very large input and output grid. And the input grid only covers a small part of the output grid | | | https://publicwiki.deltares.nl/display/FEWSDOC/InterpolationSpatialInverseDistance |
| Plugin - Module - Transformation | Deltas | FEWS-14847 | New Feature | Fix starttime in order to use a fixed period back in time as reference | Added new transformation TimeShiftReferenceDateTime | Added new transformation TimeShiftReferenceDateTime. Function to shift time series data by a fixed number of time steps, using a fixed absolute reference date time. The number of time steps to shift, is determined as follows: periodToShift = T0 - referenceDateTime. Where T0 is the timeZero of the workflow in which this transformation runs. If T0 and/or referenceDateTime are not valid times according to the output timeStep, then they are rounded to the nearest valid times. Note: the input period is extended automatically, but the output period has to be large enough to contain the shifted values (i.e. when shifting from T0 to referenceTime, output relativeViewPeriod has to be large enough so that it always contains the period where output should be shifted to, even if the relativeViewPeriod changes due to a change in T0 of the workflow). | {code:xml} <transformation id="TimeShiftReferenceDateTimeTest"> <timeShift> <referenceDateTime> <inputVariable> <variableId>H1</variableId> </inputVariable> <referenceDateTime value="2001-01-01" time="00:00:00"/> <direction>toward_time_zero</direction> <outputVariable> <variableId>H2</variableId> </outputVariable> <referenceDateTime> </timeShift> </transformation> {code} | | https://publicwiki.deltares.nl/display/FEWSDOC/TimeShift |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation | |
|----------------------------------|-------------------|----------------------------|------------------------|--|---|---|--|--------|---|---|
| Plugin - Module - Transformation | NWS | FEWS-15550 | New Feature as subtask | FEWS-14997 NWS: FB1629. Ability to configure units for coefficientSets in lookupTable | Ability to configure units for coefficientSets in lookupTable | Ability to configure units for coefficientSets in lookupTable | {code:xml} <transformation id="simpleTableLookup"> <lookup> <simple> <input> <variableId>H1</variableId> </input> <coefficientSet> <interpolationType>linear</interpolationType> <extrapolationType>extrapolate</extrapolationType> <outputUnit>m</outputUnit> <outputUnit>mm</outputUnit> <lookupTable> <lookupTableRow input="1.8" output="4000"/> <lookupTableRow input="2.0" output="6000"/> <lookupTableRow input="2.2" output="8000"/> <lookupTableRow input="2.4" output="10000"/> <lookupTableRow input="2.6" output="12000"/> <lookupTableRow input="2.8" output="14000"/> <lookupTableRow input="3.0" output="16000"/> <lookupTableRow input="3.2" output="18000"/> <lookupTableRow input="3.4" output="20000"/> <lookupTableRow input="3.6" output="22000"/> </lookupTable> </coefficientSet> <output> <variableId>H2</variableId> </output> </simple> </lookup> | | | |
| Plugin - Module - Transformation | Deltas (research) | FEWS-15654 | Improvement | aggregation meanToMean: add option to ignore missings | Option added to aggregation mean to mean function to ignore missings | Option to ignore missings is added to aggregation mean to mean function. | {code} <transformation id="aggregationMeanToMeanTest"> <aggregation> <meanToMean> <inputVariable> <variableId>H1</variableId> </inputVariable> <ignoreMissings>true</ignoreMissings> <outputVariable> <variableId>H2</variableId> </outputVariable> </meanToMean> </aggregation> </transformation> {code} | | https://publicwiki.deltas.nl/display/FEWSDOC/Aggregation+transformations | |
| Plugin - Module - Transformation | Deltas | FEWS-15707 | Improvement | Enable StatisticsPeriodic transformation for equidistant time step day with time zone | Extended StatisticsPeriodic transformations | StatisticsPeriodic transformations are now supported for equidistant time step day with time zone | <timeStep unit="day" timeZone="GMT+1"/> | | https://publicwiki.deltas.nl/display/FEWSDOC/Statistics+Periodic+Transformations | |
| Plugin - Module - Transformation | Deltas | FEWS-15501 | Improvement | MaxGapLength in InterpolationSerial transformation from locationattribute | Reading max gap length from location attribute | Reading max gap length from location attribute is introduced for interpolation serial functions. | | | https://publicwiki.deltas.nl/display/FEWSDOC/Transformation++Serial+Interpolation | |
| Plugin - Module - Transformation | RWS (NL) | FEWS-13904 | Improvement | Extend TransformationModule functionality with a loop over the forecasts (implement PeakPerformanceIndicators in TransformationModule) | TransformationModule extended with functionality to loop over the forecasts | When a forecastLoopSearchPeriod is configured the transformation will be repeated for each (external and simulated) forecast found in the defined period. This will only work when the <outputVariable> is an external forecasts, the output variable for each execution will get the same external forecast time. When more than one input variable is used (as for sample equidistant): When other input variables are also forecasts, the same amount of forecasts should be present as in the first input variable because these will also be looped over. When other input variables are not forecasts there will only be 1 time series available, this one be reused for each step of the loop. This has been implemented for https://publicwiki.deltas.nl/display/FEWSDOC/Selection+of+independent+peaks https://publicwiki.deltas.nl/display/FEWSDOC/Selection+of+independent+lows https://publicwiki.deltas.nl/display/FEWSDOC/Transformation++Sample+Equidistant | {code:xml} <transformation id="SelectionIndependentPeaksMultipleForecastsTest"> <selection> <independentPeaks> <inputVariable> <variableId>forecast</variableId> </inputVariable> <forecastLoopSearchPeriod unit="week" start="-4" end="0"/> <gapLengthInSec>2700</gapLengthInSec> <totalNumberBeforeT0>0</totalNumberBeforeT0> <totalNumberAfterT0>0</totalNumberAfterT0> <skipJustBeforeT0>0</skipJustBeforeT0> <skipJustAfterT0>0</skipJustAfterT0> <outputVariable> <variableId>outputForecast</variableId> </outputVariable> </independentPeaks> </selection> </transformation> {code} {code:xml} <transformation id="SelectionIndependentLowsMultipleForecastsTest"> <selection> <independentLows> | | | https://publicwiki.deltas.nl/display/FEWSDOC/Selection+Transformations |
| System | Deltas | FEWS-14569 | New Feature as subtask | FEWS-14498 Windows 64 bits support - Firebird database | Support for Firebird 64 bit and 32 bit on windows | Support for both Firebird 64 bit and 32 on windows is available. Depending on the JRE that is used the correct firebird dll's will be used. | | | https://publicwiki.deltas.nl/display/FEWSDOC/FEWS+64+bit+migration | |
| System | Deltas | FEWS-14518 | New Feature as subtask | FEWS-14498 Windows 64 bits support - DLL's | 32 bit dll's have been recompiled to 64 bit versions | Most 32 bit dll's have been recompiled to 64 bit versions. In some cases it was decided to port a native dll to Java (for example the contour library) or the source are not available. For those cases a specific subtasks was added in JIRA. | | | https://publicwiki.deltas.nl/display/FEWSDOC/FEWS+64+bit+migration | |
| System | Deltas | FEWS-14904 | Improvement as subtask | FEWS-14498 Cleanup script | Cleanup script cleanup_bin scripts (bat/sh) have additional 32 / 64 bits clean up options under windows. | | | | https://publicwiki.deltas.nl/display/FEWSDOC/FEWS+64+bit+migration | |
| System | Deltas | FEWS-14502 | New Feature as subtask | FEWS-14498 Windows 64 bits support - Derby database | Support for Derby 64 bits | | | | https://publicwiki.deltas.nl/display/FEWSDOC/FEWS+64+bit+migration | |
| System | Deltas | FEWS-14693 | Improvement | Add current default of max database size (now 2GB) as variable in the install scripts | In Oracle and SQLServer database creation scripts the default maximum tablespace size are increased from 2Gb to 10Gb. For Postgres this is not relevant/applicable. | | | | https://publicwiki.deltas.nl/display/FEWSDOC/Delft+FEWS+Installation+-+Central+Database#DelftFEWSInstallation-CentralDatabase-MC_Database | |
| System | Deltas | FEWS-15886 | Improvement | Show in about box if a 64 bit or 32 bit version is being run | At startup it is logged what OS version Delft-FEWS is running on | At startup it is logged what OS version Delft-FEWS is running on | | | | |

| Component/s | Customer name | Key | Issue Type | Summary | Release Note Text | Release Note Text Description | Config Example | Images | Link to Documentation | |
|--------------------------|---------------|----------------------------|------------------------|--|--|--|----------------|--------|---|---|
| System - Logging | BoM | FEWS-15553 | Improvement as subtask | FEWS-15665 HyFS-WC: Add watercoach category log4j at run time | Default WaterCoach logging appenders | By default WaterCoach logs INFO messages to appenders "dataStoreLogEntriesTable", "defaultLogFile" and "explorerLogPanel" If we want to add additional appenders, to remove appenders or to change the priority , we should add "nl.wldelft.fews.gui.plugin.watercoach" category to the Log4jConfig.xml. The default WaterCoach category setting also appears in Log4jConfig.xml if we remove our existing Log4jConfig.xml : (code:xml) <category name="nl.wldelft.fews.gui.plugin.watercoach" additivity="false"> <priority value="INFO"/> <appender-ref ref="dataStoreLogEntriesTable"/> <appender-ref ref="defaultLogFile"/> <appender-ref ref="explorerLogPanel"/> </category> (code) | | |  | https://publicwiki.deltares.nl/display/FEWSDOC/09+Logging |
| System - Logging | RWS (NL) | FEWS-8794 | New Feature | Extend logging of LogCollectorService | LogCollectorService extended with additional logging information | | | | https://publicwiki.deltares.nl/display/FEWSDOC/Admin+Interface++System+Status++Collect+System+LogFiles | |
| System - PI Service | Wales | FEWS-15457 | New Feature | FewsPIService: Forecast Task Run information via the FewsPIService | PI service extended with Forecast Task Run Information | PI service extended with Forecast Task Run Information | | | https://publicwiki.deltares.nl/display/FEWSDOC/Tomcat+-+Fews+PI+service | |
| System - Synchronisation | NWS | FEWS-13677 | Improvement as subtask | FEWS-14997 NWS: FB1267 IFD green checkmarks appears when all data is synched | IFD green checkmarks appears when all data is synched | | | | | |
| Utility - Configurator | Deltas | FEWS-15061 | Improvement | wis installations are often installed with default synchProfiles.xml | The configurator now produces a WIS-synchProfiles.xml_wis for WIS clients. WIS stands for Water Information System which is a implementation variant of Delft-FEWS. This variant focusses on long term storage of observed data, data statistics and analysis rather than forecasting and forecasting models. | | | | | |

Generated at Wed Nov 16 16:12:48 CET 2016 by Gerben Boot using JIRA 7.1.4#71008-sha1.eaa0661a37ce6adcb7f40966b8761f8cf45bc33.