04 Data Display and Data Editor

- Data Display and Data Editor
 - Time series and graph order
 - ° Table
 - Shortcuts
 - Graph
 - Timeseries Lister
 - Descriptive statistics
 - Timeseries Information (hidable panel)
 - Thresholds
 - Rotate Splitter
 - Rotate Legend
 - Toggle Graph
 - Scale to show unreliable Data
 - No Thresholds Scaling
 - Scale to show relevant Thresholds
 - Scale to show all Thresholds
 - Show data labels
 - Show on/off checkboxes in legend (since 2020.02)
 - Show column indicator in legend (since 2024.01)
 - Statistical Functions
 - Search and Select Forecast
 - Hide whole forecasts (since 2020.02)
 - Historical Events
 - Display Time
 - Datum Toggle
- Navigating in Graphs
 - Save As
 - Print
 - Zoom in / out
 - Auto Range
 - Zoom to range...
 - Changing the view period
- Data Editor
 - ReadOnlyPeriod
 - Editing data labels
- Copy and Paste Timeseries
- Historic Events
- Seamless Archive integration
- ٠ Rating curve
- Displaying gaugings along with the rating curves
- - Restrictions
- Storing 'favorites'
- Long Term Scroller
 - History popup
- Editing Data
- Changing display properties
- Interactively modifying display colours
- The F12 debug menu (Timeseries Display)
- Statistical functions •
- Filtering data
- Data Display and Data Editor

The Data Display and Data Editor offer graphical displays for presenting and editing of data. Both have nearly the same functionality but only the Data

Editor allows you to edit data. In addition, the data editor can only be opened once while multiple instances of the data display can be opened.

This display offers the following features:

- Display of time series in:
- graphs (scalar/longitudinal profiles)
- tables (scalar/longitudinal profiles)
- Tabular data editor
- Display of actual data with:
- · Historical events
- Threshold levels


Data is displayed in a table and a graph simultaneously. The splitter between the table and the graph can be moved to modify the display. Select the data series, that should be displayed with help of the List Boxes and/or the Map Display (see also Filters).

Decimals for the reference values (ticks) in the chart autorange between 0 and 6, always using the lowest amount necessary to differentiate between ticks.

When the display is started through the FEWS Tools menu item *Data Editor*, data can be edited and the edited data can be stored in the FEWS data base. When the display is started through the FEWS Tools menu item *Data Display* or through the FEWS toolbar, the data can only be viewed. 1.1 Data Display

Press the [Data Display] button is on the toolbar to present graphs displaying the data. The splitter is normally positioned on the left of the display.

When data series of different data types have been selected, the data will be presented in different subplots with the data series of a single data type merged into one subplot.



The data in the graph is *updated automatically* in case new data becomes available. Below the graph the workflows are listed that generated the forecast time series in the graph. Their numbers are used in the graph legend and table headers too.

Time series and graph order

There are specific rules for time series ordering. For time series from the data viewer, the order of filters is used.

So time series are first ordered on their filter and then according to their time series set within the filter.

There are also rules for the ordering of the graphs when the time series come from the data viewer / filters.

The graphs then follow the order of the parameter groups defined in Filters.xml.


Some things to keep in mind:

- Since the parameter groups ordering may not exactly match the Filter & time series set ordering, it can happen that in the graphs the letters belonging to the time series will not be ascending.
- When parameters and or locations are present in multiple filters, it can happen that for the same parameter-location selection the order of time series is different, depending on which filters are selected, since always the first selected filter a time series is part of will be the one determining its order.

The following buttons are used in the Time Series Display:



By clicking this button the time series in the graph is also displayed in tabular format. Please note that in case you like to edit data, you have to select the Data Editor from the Tools menu (see section 4.3).



Selecting the small arrow at the right of the icon shows the next menu:

Δ	Validation	Ctrl+Shift+J
1	Users	Ctrl+Shift+K
Q	Comments	Ctrl+Shift+L
~	Units	
~	Location Names	Ctrl+Alt+Shift+N
~	Location Ids	Ctrl+Alt+Shift+L
	Modules	Ctrl+Shift+M
~	Forecast Times	Ctrl+Alt+0
	Column Statistics	Ctrl+Alt+Shift+Y
	Threshold Crossing	Ctrl+Alt+Shift+C
~	Normal	Ctrl+Alt+N
	Days	Ctrl+Alt+D
	Weeks	Ctrl+Alt+W
	Months	Ctrl+Alt+M
	Years	Ctrl+Alt+Y
	Group columns by time series	Ctrl+Alt+X
	Time order reversed	Alt+Shift+R
	Removed Times	


function	description
Validation	shows a separate column with the validation flags
Users	shows a separate column with the user names of editted values
Comments	shows a separate column with the comments
Units	shows in the header the unit of the parameter
Location Names	shows in the header the location name
Location Ids	shows in the header the location ID
Module	shows in the header the moduleInstanceId
Column statistics	shows between the header and the table statistics of the values in the current relativeViewPeriod, like mean, sum, min, max
Threshold crossing	shows in the cells (on the left side) a small bar with a color according to the threshold definition, that indicates a threshold crossing
Normal	shows the values in a normal table, so all times have a row
Days	shows the values in an aggregated way, so that each day gets its own column. Usefull to series with for example an hourly time step. It sets up the hours from 00:00 until 23:00.
Weeks	shows the values in an aggregated way, so that each week gets its own column. Usefull to series with for example a daily time step.
Months	shows the values in an aggregated way, so that each month gets its own column. Usefull to series with for example daily time step.

Years	shows the values in an aggregated way, so that each year gets its own column. Usefull to series with for example monthly time step.
Removed times	Show the deleted time steps from non-equidistant time steps.
Time order reversed	Shows the times in reversed order, so from new to old

습 Shortcuts

Display templates are available for rapid assessment of data. The templates can be activated by clicking the above mentioned button. The left side of the display shows the available shortcuts in a pre-configured grouping.


The data shown via the Shortcuts belong to the forecasts selected in the Forecasts panel of the FEWS Explorer. Please note that the current forecast is always displayed in the graphs.





This button can be used to hide or show the graph. If the table was not yet selected, it will show up.

Selecting the small arrow at the right of the icon shows the next menu:



(i) Timeseries Lister

This button will add below the display a database viewer of the timeseries that are displayed. The database records are visualised as individual rows, which can be selected. When selected it can be browsed through (all columns). All meta information and statistics are calculated on-the-fly and are not stored. Within selections or filters (e.g. on start/end time) the content of the (visible) columns are updated immediately. There are many columns which can be viewed: general columns about module instance, location, parameter, disk space and all kind of relevant meta information about the selected record(s).

Besides the 'general' metadata, the basic statistics of that row can be inspected. These basic statistics are sum, average, maximum, minimum, etc. The remaining columns describe the quality of the data. If the user e.g. wants to know how many values are 'unreliable' and how many 'periods' of unreliable data are available, this information can be retrieved. The same is true for all kinds of combinations of doubtful, completed and corrected data. This same functionality (number of records, periods) is available for primary and secondary validation results. This means that the user can inspect number of records and periods of e.g. hard maximums and flag comparison or series comparison.

Eorec:	astLength					Total C	and /LIE	NIN .					
	MAP HenrysFork	,	0.00			Total F	low (HE	N)					
	AT-MAP Henrys		in 00.00 ∰				_			¹⁰⁰ ਵ ਵ	— MAT H	IEN_lo [1] (me	dian)
HEN L			0.00 100 100 100 100 100 100 100 100 100							re Mean (F		IEN mi [1] (me	
• 🗖	otal Flow (HEN)		<u>ل</u> فت _{0.50}							() () () () () () () () () () () () ()	— MAT H	IFN un [1] (m	edian)
+ De	etailed Forcings	(HEN)				_		_			- SOIN I	ocal HEN [2]((critical)
De	etailed Forcings	(HEN)	£								-	ocal HEN [2]	• •
Ri	unoff Distributio	n (HEN)	0 7.5									ocal HEN [2] (
	oil States Upper		E 5.0								-	ocal HEN [2]	
	oil States Middle										5Q111		(incularly
	oil States Lower	Band (HEN)	0.0										
FAYI	-			01-30-202		01-31-2021,	02	-01-2021,	02-02-2021,				
S 📄 ISL_Lo	- ocal			00:00		00:00		00:00	02-02-2021, 00:00				
> III ISL_LO	- ocal Local			00:00 orecasts: [1] P	reprocessFor	00:00 ecasts 06-15-2	020, 12:00 (00:00 GMT Current					
> ISL_LC > CHEI_ > HFAI_	_ ocal _Local _Local			00:00 orecasts: [1] P	reprocessFor	00:00	020, 12:00 (00:00 GMT Current					
SISL_LC CHEI_ HFAI_ ANTI_	_ ocal _Local _Local			00:00 orecasts: [1] P	reprocessFor	00:00 ecasts 06-15-2	020, 12:00 (2:00 GMT Cu	00:00 GMT Current					
Vorkflow	_ ocal _Local _Local	Location	Location	00:00 precasts: [1] P K Forecast: [2] Parameter	PreprocessFore HenrysFork Parameter	00:00 ecasts 06-15-2 06-15-2020, 1 Parameter	020, 12:00 (00:00 GMT Current urrent Module		Y	Z	Time Series	Ense
Vorkflow	Local Local Local Local Local Time0	Id	HENRYSFORM	00:00 precasts: [1] P K Forecast: [2]	reprocessFore] HenrysFork	00:00 ecasts 06-15-20 06-15-2020, 1	020, 12:00 (2:00 GMT Cu	00:00 GMT Current urrent	00:00	Ŷ	Z	Time Series Type	Ens
> ISL_LC > CHEI_ > HFAI_ > ANTI_ Workflow Id	ocal Local Local Local	Id 24	HENRYSFORM Location Name	00:00 precasts: [1] P K Forecast: [2] Parameter Group	PreprocessFore] HenrysFork Parameter Id	00:00 ecasts 06-15-20 06-15-2020, 1 Parameter Name	020, 12:00 (2:00 GMT Cu Qualifiers	00:00 GMT Current urrent Module Instance	00:00	Y 44.73	_		1
Workflow Id	ocal Local Local Local Time0 06-15-2020, 1	Id 24 HEN_up	HENRYSFORM Location Name	00:00 precasts: [1] P K Forecast: [2] Parameter Group 3 Precipitation	PreprocessFore] HenrysFork Parameter Id 3	00:00 ecasts 06-15-20 06-15-2020, 1 Parameter Name	020, 12:00 (2:00 GMT Cu Qualifiers	00:00 GMT Current urrent Module Instance	00:00		8771.00	Type 1	1 . METEC
Workflow Id	Cocal Local Local Local Time0 06-15-2020, 1 . 06-15-2020,	Id 24 HEN_up HEN_mi	HENRYSFORM Location Name 4 HEN_up AB	00:00 precasts: [1] P C Forecast: [2] Parameter Group 3 Precipitation Precipitation	PreprocessFore HenrysFork Parameter Id 3 MAP	00:00 ecasts 06-15-20 06-15-2020, 12 Parameter Name 3 Precipitation	020, 12:00 (2:00 GMT Cu Qualifiers	00:00 GMT Current urrent Module Instance 3 MergeMAP	00:00 X -111.38	44.73	8771.00 7088.00	Type 1 simulated fo	1 . METEC
Vorkflow Id Workflow Id	Cocal Local Local Local Time0 06-15-2020, 1 06-15-2020, 06-15-2020,	Id 24 HEN_up HEN_mi HEN_lo	HENRYSFORM Location Name 4 HEN_up AB HEN_mi 650	00:00 precasts: [1] P Forecast: [2] Parameter Group 3 Precipitation Precipitation	Parameter Id MAP MAP MAP	00:00 ccasts 06-15-2 06-15-2020, 1 Parameter Name 3 Precipitation Precipitation	020, 12:00 (2:00 GMT Cu Qualifiers	00:00 GMT Current urrent Module Instance 3 MergeMAP MergeMAP	00:00 X -111.38 -111.32	44.73	8771.00 7088.00 6486.00	Type 1 simulated fo simulated fo	1 . METEO . METEO
Vorkflow Id Workflow Id reprocessF reprocessF reprocessF	Cocal Local Local Local Docal Time0 06-15-2020, 1 06-15-2020, 06-15-2020, 06-15-2020,	Id HEN_up HEN_mi HEN_lo HEN_up	HENRYSFORM Location Name 4 HEN_up AB HEN_un 650 HEN_lo BEL	00:00 precasts: [1] P K Forecast: [2] Parameter Group 3 Precipitation Precipitation Precipitation	Parameter Id MAP MAP MAP MAT	00:00 ecasts 06-15-20 06-15-2020, 12 Parameter Name 3 Precipitation Precipitation	020, 12:00 (2:00 GMT Cu Qualifiers	00:00 GMT Current urrent Module Instance 3 MergeMAP MergeMAP	00:00 X -111.38 -111.32 -111.39	44.73 44.67 44.64	8771.00 7088.00 6486.00 8771.0	Type 1 simulated fo simulated fo simulated fo	1 . METEC . METEC . METEC
Workflow Id Workflow Id Workflow Id reprocessF reprocessF reprocessF	Ccal Local Local Coc	Id HEN_up HEN_mi HEN_lo HEN_up HEN_mi	HENRYSFORM Location Name 4 HEN_up AB HEN_up AB HEN_lo BEL HEN_up AB	00:00 precasts: [1] P C Forecast: [2] Parameter Group 3 Precipitation Precipitation Precipitation Temperatur	PreprocessFore] HenrysFork Parameter Id 3 MAP MAP MAT MAT	00:00 ecasts 06-15-21 06-15-2020, 11 Parameter Name 3 Precipitation Precipitation Air Tempera Air Tempera	020, 12:00 (2:00 GMT Cu Qualifiers 1	00:00 GMT Current urrent Module Instance 3 MergeMAP MergeMAP MergeMAP	00:00 X -111.38 -111.32 -111.39 -111.38	44.73 44.67 44.64 44.73	8771.00 7088.00 6486.00 8771.0 7088.0 6486.0	Type 1 simulated fo simulated fo simulated fo simulated fo simulated fo simulated fo	1 METEO METEO METEO METEO METEO
Workflow Id Workflow Id Workflow Id Workflow Id	Ccal Local Local Time0 06-15-2020, 1 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020,	Id HEN_up HEN_mi HEN_lo HEN_up HEN_mi HEN_lo	HENRYSFORM Location Name 4 HEN_up AB HEN_lo BEL HEN_lo BEL HEN_mi 650	00:00 precasts: [1] P C Forecast: [2] Parameter Group 3 Precipitation Precipitation Precipitation Temperatur Temperatur	PreprocessFore] HenrysFork Parameter Id 3 MAP MAP MAT MAT	00:00 ecasts 06-15-21 06-15-2020, 11 Parameter Name Precipitation Precipitation Precipitation Air Tempera Air Tempera River Discha	020, 12:00 (2:00 GMT Cu Qualifiers 1	00:00 GMT Current urrent Module Instance 3 MergeMAP MergeMAP MergeMAT MergeMAT	X -111.38 -111.32 -111.39 -111.38 -111.32	44.73 44.67 44.64 44.73 44.67	8771.00 7088.00 6486.00 8771.0 7088.0 6486.0	Type 1 simulated fo simulated fo simulated fo simulated fo simulated fo	1 . METEO . METEO . METEO . METEO . METEO
Workflow Id Workflow Id PreprocessF.	Ccal Local Local Time0 06-15-2020, 1 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020,	Id HEN_up HEN_mi HEN_lo HEN_up HEN_mi HEN_lo HEN HEN	HENRYSFORM Location Name 4 HEN_up AB HEN_log BEL HENWYS LAK HENRYS LAK	00:00 precasts: [1] P C Forecast: [2] Parameter Group 3 Precipitation Precipitation Temperatur Temperatur Temperatur Discharge Discharge	PreprocessForm] HenrysFork Parameter Id 3 MAP MAP MAP MAT MAT SQIN SQIN	00:00 ecasts 06-15-20 06-15-2020, 12 Parameter Name Precipitation Precipitation Air Tempera Air Tempera Air Tempera River Discha	020, 12:00 (2:00 GMT Cu Qualifiers 1 local	00:00 GMT Current urrent Module Instance 3 MergeMAP MergeMAP MergeMAP MergeMAT MergeMAT UNTTHG_HE UNITHG_HE	00:00 X -111.38 -111.32 -111.39 -111.32 -111.32	44.73 44.67 44.64 44.73 44.67 44.67	8771.00 7088.00 6486.00 8771.0 7088.0 6486.0 6486.0 6457.00 6457.00	Type 1 simulated fo simulated fo simulated fo simulated fo simulated fo simulated fo simulated fo	1 . METEC . METEC . METEC . METEC . METEC . METEC
ISL_L ISL_CHEL C	Ccal Local Local Cocal Time0 06-15-2020, 1 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020, 06-15-2020,	Id 24 HEN_up HEN_mi HEN_up HEN_mi HEN_mi HEN_Mi HEN HEN HEN	HENRYSFORM Location Name 4 HEN_up AB HEN_up AB HEN_up AB HEN_mi 650 HEN_mi 650 HEN_BEL HEN_SEL	00:00 precasts: [1] P C Forecast: [2] Parameter Group 3 Precipitation Precipitation Temperatur Temperatur Discharge Discharge	Parameter Id Parameter Id MAP MAP MAT MAT SQIN	00:00 ecasts 06-15-21 06-15-2020, 11 Parameter Name Precipitation Precipitation Precipitation Air Tempera Air Tempera River Discha	020, 12:00 (2:00 GMT Cu Qualifiers 1 local local local	00:00 GMT Current urrent Module Instance MergeMAP MergeMAP MergeMAT MergeMAT UNITHG_HE	X -111.38 -111.32 -111.39 -111.39 -111.39 -111.35	44.73 44.67 44.64 44.73 44.67 44.67 44.64 44.64	8771.00 7088.00 6486.00 8771.0 7088.0 6486.0 6486.0 6457.00 6457.00 6457.00	Type 1 simulated fo simulated fo simulated fo simulated fo simulated fo simulated fo simulated fo	1 . METEC . METEC . METEC . METEC . METEC . METEC . METEC

The Timeseries Lister has similar functionality as the Database Viewer, like filtering, ordering and righmouse context menu options. These are described in detail in: Time Series Lister

Σ Descriptive statistics

This button will add a table to the display with descriptive statistical information. The statistics only appear if a column in the table is selected. Use the right mouse button to copy this table to the clipboard for pasting in Excel.

Statistical Functionality available (if configured):

- Mean
- Min (with date)
- Max (with date)
- Sum
- Standard deviation
- · Percentiles (exceedance and non-exceedance)

Time series information:

- Location id
- Location name
- Parameter id
- Parameter name
- Module instance
- Start time
- End time

Data quality information:

- Number of values
- Number of completed values
- Number of corrected values
 Number of doubtful values
- Number of missing values
- Number of reliable values
 Number of unreliable values

Time series info	
Location id	Please select a column header in the time series table to display descriptive information.
Location name	
Parameter id	
Parameter name	
Module instance	
Start time	
End time	
	·


	В	С	Descriptive statistics			
	MAP	MAP		Statistics entire time series	Statistics data before T0	Statistics data after T0
	(IN)	(IN)	Mean	0.089	0.089	
			Min	0 02-02-2021 06:00:00	0 02-02-2021 06:00:00	
1	HEN_mi 6500-{	HEN IO BEL	Max	0.354 31-01-2021 00:00:00	0.354 31-01-2021 00:00:00	
GMT	HEN_mi	HEN_lo	Sum	1.416	1.416	
	[1]	[1]	Standard deviation	0.117	0.117	
	06-15-2020,	06-15-202	Percentile (exceedance) 5%	0.354	0.354	
	12:00	12:00	Percentile (exceedance) 25%	0.195	0.195	
	METEO	METEO	Percentile (exceedance) 50%	0.036	0.036	
	median	median	Percentile (exceedance) 75%	0	0	
01-29-2021, 12:00	0.00	C	Percentile (exceedance) 95%	0	0	
01-29-2021, 18:00		C				
01-30-2021, 00:00		C	Time series info			
01-30-2021, 06:00		C		Statistics entire time series	Statistics data before T0	Statistics data after T0
01-30-2021, 12:00	0.21	C	Location id	HEN_mi	HEN_mi	
01-30-2021, 18:00	0.21	C	Location name	HEN_mi 6500-8000	HEN_mi 6500-8000	
01-31-2021, 00:00	0.35	C	Parameter id	MAP	MAP	
01-31-2021, 06:00	0.28	C	Parameter name	Precipitation Areal Mean (MAP)	Precipitation Areal Mean (MAP)	
01-31-2021, 12:00	0.07	C	Module instance	MergeMAP_Forecast	MergeMAP_Forecast	
01-31-2021, 18:00	0.07	C	Start time	29-01-2021 12:00:00	29-01-2021 12:00:00	
02-01-2021, 00:00	0.00	C	End time	02-02-2021 06:00:00	02-02-2021 06:00:00	
02-01-2021, 06:00	0.00	C				
2-01-2021, 12:00	0.00	C	Data quality			
2-01-2021, 18:00	0.00	C		Statistics entire time series	Statistics data before T0	Statistics data after T0
02-02-2021, 00:00	0.00	C	Nr. of values	16	16	
02-02-2021, 06:00		C	Nr. of completed	0	0	
			Nr. of corrected	0	0	
			Nr. of reliables	16	16	
			Nr. of doubtfuls	0	0	
			Nr. of unreliables	0	0	
	4		Nr. of missings	0	0	

- Timeseries Information (hidable panel)

Since 2016.02 button is added to show (or hide) a panel that shows a panel with four subpanels (toggleable) with the Timeseries Information, Attributes, Validation criteria and availabel Thresholds for the selected time series on the selected time step.

	i) 🗏 🗲 🔀
Time series inform	ation
Location id	DGGI_up
Location name	DGGI_up ABOVE 8000
Parameter id	MAP
Parameter name	Precipitation Areal Mean
Module instance id	MergeMAP_Forecast
Valid time	06-13-2020, 01:58
Current value	
Attributes	
Attributes	
Attributes Validation rules Thresholds	2 Label Comment Description Time Span Season Up Action Down Acti

Opening this panel will automatically hide descriptive statistics panel when open



Thresholds

The thresholds table will show: Type, Id, Value, Label, Comment, Description, Time Span, Season, Up Action, Down Action

Thresh	olds								
Туре	ld	Value	Label	Comment	Description	Time Span	Season	Up Action	Down Action
Level	Peak	4.027	2015-12-05 20:30:00			-	-		
Level	Peak	3.369	2005-01-08 01:30:00			-	-		
Level	Peak	3.198	2004-02-03 10:15:00			-	-		
Level	Peak	2.973	2017-11-22 17:45:00			-	-		
Level	Peak	2.801	2015-12-22 08:45:00			-	-		
Level	ACT NOT AII	2.800	AREA ACT NOT NR	Contact Network Rail	AREA ACT NOT NR	-	-		
Level	Peak	2.759	2015-12-26 18:15:00			-	-		
Level	Peak	2.733	2009-01-12 04:00:00			-	-		
Level	Peak	2.729	2009-11-24 22:30:00			-	-		
Level	Peak	2.716	2011-09-06 06:15:00			-	-		
Level	Peak	2.683	2011-01-15 12:30:00			-	-		
Level	ACT NOT AII	2.300	AREA ACT NOT NR	Contact Network Rail	AREA ACT NOT NR	-	-		
Level	ACT FAL AII	2.300	ACT FAL 012WAFUL		ACT FAL 012WAFUL	-	-		

Since this is a lot of columns and not all columns apply to all thresholds, columns can be hidden via right mouse "Show / hide columns":




The hidden columns will be stored in the user settings



With this button the splitter between table and graph can be placed in a horizontal position. Clicking the same button again returns the splitter to its default vertical position.



This button can be used to place the graph legend underneath the graph. Clicking the same button again returns the legend to its default position at the right hand side of the graph.



<u>____</u> .

Toggle Graph

When multiple data series are selected for a single data type (parameter), the graphs will be placed in one subplot of the graph. This sometimes complicates the analysis of time series with different data ranges. By clicking the above mentioned button you can change the layout of the chart:

- Merged into a single graph
- Stacked in different subplots

Scale to show unreliable Data


This button can be used to focus on time intervals with unreliable data within the selected time series. Data is marked as unreliable, if values exceed hard limits.

No Thresholds Scaling

By clicking this button there will be no scaling in order to show thresholds out of data range.


Scale to show relevant Thresholds

With this option the graph is scaled in such a way, that relevant thresholds (the closest threshold values) are displayed together with the selected time series in the graph.



Scale to show all Thresholds

This button can be used to show *all* pre-configured thresholds of a certain parameter at the selected location(s). This means that all thresholds levels (e.g. Standby, Flood Watch, Flood Warning and Severe Flood Warning) are displayed in the graph.





Clicking the 'Show data labels' will you to display quality flags for the data you are presenting. The information is shown at the bottom of the screen.

The following colour codes have been used:

- the upper line indicates the origin of the data
- · original data: no line is displayed
- automatically corrected data (original data flagged as unreliable and automatically interpolated): blue line
- automatically completed data (original data is missing and interpolated by system): magenta line
- manual corrected data (original data edited by a user): dark blue line
- manual completed data (filled up by a user): dark magenta line
- the middle line indicates the quality of the data
- reliable data: no line is displayed
- doubtful data: orange
- unreliable data: yellow
- the lower line indicates where comments have been added to the data
- no comment: no line is displayed
- comment available: dark red

The lines are displayed under the data points. The colours correspond with the colouring used in the tables.


Show on/off checkboxes in legend (since 2020.02)

It is possible to show checkboxes in the legend to quickly hide/unhide time series in the time series dialog. You can find the option to show legend checkboxes in the chart dropdown button in the toolbar.


Toggling off a checkbox will only hide the individual time series. If you toggle off all time series in a chart or subplot, the plot will still show an empty chart. This is by design so that the checkboxes still indicate which time series can be toggled back on. To hide an entire chart or subplot, you should use the TimeSeries Visibility Dialog with the legend checkboxes disabled.

When statistical series are active, it is possible to also hide them individually. The same applies to their source series, they can be hidden without the resulting statistical series being hidden.


When checkboxes are not shown in the legend the hidden series will not be in the legend.




But when checkboxes are shown in the legend, their will be an empty checkbox for the series just like in the visibility dialog.



When "hide original series" is selected for the statistical functions, the sources series for the statistics will not be shown in the graph, table, visibility dialog and legend (with or without checkboxes)



The same applies for resampled series, when "show original series" is not selected, the sources series for the resampled series will not be shown in the graph, table, visibility dialog and legend (with or without checkboxes)



Show column indicator in legend (since 2024.01)

If toggled, the indicator of the table column corresponding to the time series is added to the legend. For example, the following legend

- Gate.perc.open Beam Auto Sluice FD
- Gate.perc.open Braybourne Close FD
- Gate.perc.open Eversley Mill FD Gate1
- Gate.perc.open Eversley Mill FD Gate2
- Gate.perc.open Frog Island Tidal Sluice G1

will then be shown as

- A: Gate.perc.open Beam Auto Sluice FD
- -B: Gate.perc.open Braybourne Close FD
- C: Gate.perc.open Eversley Mill FD Gate1
- D: Gate.perc.open Eversley Mill FD Gate2
- E: Gate.perc.open Frog Island Tidal Sluice G1

corresponding to the columns in the table

А	В	С	D	E
Gate.perc.op	Gate.perc.op	Gate.perc.op	Gate.perc.op	Gate.perc.op
(-)	(-)	(-)	(-)	(-)
Beam Auto S	Braybourne C	Eversley Mill	Eversley Mill	Frog Island Ti
SENEB_5544	SENEB_2854	2436TH_G1	2436TH_G2	5562TH_G1

Functions < Select a statistical function >

Statistical Functions

If switched on in the configuration. This functionality works independently from the descriptive statistics table.

The available statistical functions can be selected from the drop-down box in the button bar. The selected function will act on the timeseries that are currently selected by in the timeseries dialogue. The result of the statistical analysis will be shown in the timeseries dialogue window. Follow this link for a description of all available statistical functions.



Search and Select Forecast

Displays in FEWS by default only show current approved forecasts. Previous forecasts can be shown if you approve them in the Forecast Management Display, or by using this "search and select forecasts" option.

There are two ways to use this button. The little arrow on the right opens up a drop-down menu, where you can quickly select the number of recent forecast you want to view.

🏂 • 🝸 🔯 🌬 < Select a	statistical function >				
✓ no selection (only current forecasts) Ctrl+Shift+0					
most recent forecast	Ctrl+Shift+1				
2 recent forecasts	Ctrl+Shift+2				
3 recent forecasts	Ctrl+Shift+3				
4 recent forecasts	Ctrl+Shift+4				
5 recent forecasts	Ctrl+Shift+5				

When you click on the button itself, it opens a separate display, with some additional options and information about the available timeseries.

😼 Search and select forecasts								
✓ search period start time 09-25-2014, 12:00 ➡								
✓ nr of recent forecasts								
persist selection	search							
workflow	time	description	dispatch time					
CJStrike_Forecast Current	10-20-2014, 12:00	Preprocess MAP/MAT	01-12-2015, 16:26					
CJStrike_Forecast Current	10-20-2014, 12:00		01-12-2015, 15:50					
Bruneau_Forecast Current	10-20-2014, 12:00		01-12-2015, 15:49					
Bruneau_Forecast	10-20-2014, 12:00		01-12-2015, 15:47					
Bruneau_Forecast	10-20-2014, 12:00		01-12-2015, 15:46					
BRON_Forecast Current	10-20-2014, 12:00	Bruneau at Rowland (BRON)	01-12-2015, 17:17					
BRON_Forecast	10-20-2014, 12:00	Bruneau at Rowland (BRON)	01-12-2015, 17:10					
BRON_Forecast	10-20-2014, 12:00	Bruneau at Rowland (BRON)	01-12-2015, 17:09					
BRON_Forecast	10-20-2014, 12:00	Bruneau at Rowland (BRON)	01-12-2015, 15:53					
BRON_Forecast	10-20-2014, 12:00	Bruneau at Rowland (BRON)	01-12-2015, 15:52					
		ОК	Close Apply					

Hide whole forecasts (since 2020.02)

Since 2020.02 it is possible to hide all time series belonging to the same forecast.

When time series are selected, with the dropdown button or ctrl+alt+shift+X all time series sharing a forecast with one of the selected forecasts will be hidden.

In the image belong forecast [1] has been made hidden.

Ě	🏂 🔽 🖄 🎼 < Sele	ect a statistical functio	in > ▼
fo	✓ only current forecast	Ctrl+Shift+0	
	most recent forecast	Ctrl+Shift+1	— H.fcast.tidal Bournemouth [2] (CMRDET)
	2 most recent forecasts	Ctrl+Shift+2	H.obs Throop
	3 most recent forecasts	Ctrl+Shift+3	H.obs Knapp Mill Main Channel Only
	4 most recent forecasts	Ctrl+Shift+4	
	5 most recent forecasts	Ctrl+Shift+5	
	Hide selected forecasts	Ctrl+Alt+Shift+X	
	Show all hidden forecast	s Ctrl+Alt+Shift+Z	

In the search and select forecasts there will be a postfix stating (hidden) behind their forecast time.


In the image below forecast 1 and 8 have been hidden.

	FY FZ GB		Christchurch high	flow tidal forecast	
Search ar	nd select forecasts				H.fcast.tidal.Bournemouth [2].CMRE H.fcast.tidal.Bournemouth [3].CMRE
search perio nr of recent include histo	forecasts 5 🜩	tue 21-07-2020 05:30:00 €			H.fcast.tidal Bournemouth (4) (CMRE H.fcast.tidal Bournemouth (5) (CMRE H.fcast.tidal Bournemouth (6) (CMRE H.fcast.tidal Bournemouth (7) (CMRE
persist select	tion				search H.fcast.tidal Bournemouth [9] (CMRE H.fcast.tidal Bournemouth [10] (CMRE
Select all	workflow	time	description	dispatch time	
	ComputeCoastalForecasts_CMRENS Current	Mon 27-07-2020 18:00:00 (hidden)	Coastal Forecast Processing MRENS	Tue 28-07-2020 07:49:41	H.obs Knapp Mill Main Channel Only
ZKKKKKK	ComputeCoastalForecasts_CMRENS	Mon 27-07-2020 18:00:00	Coastal Forecast Processing MRENS	Tue 28-07-2020 01:51:32	
	ComputeCoastalForecasts_CMRENS	Mon 27-07-2020 06:00:00	Coastal Forecast Processing MRENS	Mon 27-07-2020 19:49:15	
	ComputeCoastalForecasts_CMRENS	Mon 27-07-2020 00:00:00	Coastal Forecast Processing MRENS	Mon 27-07-2020 13:49:21	
	ComputeCoastalForecasts_CMRENS	Sun 26-07-2020 18:00:00	Coastal Forecast Processing MRENS	Mon 27-07-2020 07:49:23	
	ComputeCoastalForecasts_CMRDET Current	Mon 27-07-2020 18:00:00	Coastal MRDET processing	Tue 28-07-2020 04:49:11	
	ComputeCoastalForecasts_CMRDET	Mon 27-07-2020 12:00:00	Coastal MRDET processing	Mon 27-07-2020 22:49:12	
	ComputeCoastalForecasts_CMRDET	Mon 27-07-2020 06:00:00 (hidden)	Coastal MRDET processing	Mon 27-07-2020 16:49:16	
	ComputeCoastalForecasts_CMRDET	Mon 27-07-2020 00:00:00	Coastal MRDET processing	Mon 27-07-2020 10:49:14	
	ComputeCoastalForecasts_CMRDET	Sun 26-07-2020 18:00:00	Coastal MRDET processing	Mon 27-07-2020 04:49:05	
					5un 5un 12-07-2020 19-07-2020 MT MT Mon 27-04-2020 18:00:00 GMT Current MT
				OK Close	MT (Contraction of the second

All hidden forecasts can be made visible again by the "Show all hidden forecasts" dropdown menu item or with ctrl+alt+shift+Z.

____ Historical Events

With this button historical events can be activated (provided that they are pre-configured). They will be displayed in the same graph to enable a comparison with the actual timeseries.



Display Time

Display Time button opens a dialog where the view period in the graph can be changed, saved or reset:

Display Time & Relative	e View Period		\times
✓ Start Time		-24 🗘 🗔	day 🗸
Display Time	17-10-2023 09:00	0	Today
End Time		24 🗘 🗔	day 🗸
Reset	OK Cancel	Apply	Save

If the period entered in this dialog has as been applied, then this view period is restored when a restore is requested. The restore request can be triggered by chart popup menu (Auto Range-> Both Axes), or by shortcut Ctrl+0, or by left swipe in the chart. To restore the default view period as configured in TimeSeriesDisplayConfig, the button Reset in this dialog should be used.

With the button Save the current relative view period is stored in the user_settings.ini file and is applied again after restarting of the application .

Datum Toggle

The Datum Toggle at the lower right hand corner of the display allows levels to be displayed with reference to Local Datum or mAOD.

	42006 00:00
<u>C</u> lose <u>H</u> elp	<u>C</u> lose <u>H</u> elp
Last refresh: 09:11:34 Local Datum	t Last refresh: 09:11:34 mAOD

Navigating in Graphs

Zooming in and out can be done with help of the scroll wheel of the mouse. Scrolling away from the user results in zooming in while scrolling towards the user results in zooming out.

Zooming is also possible by selecting a zoom range. Drag the mouse holding down the right button to form a rectangular area to zoom in to.

When clicking the right mouse button, the dropdown menu presented below appears. The menu gives you some additional options.

Properties	
Save as	
Print	
Zoom In	>
Zoom Out	>
Auto Range	>
Zoom to range	
Copy to Clipboard	1

Save As

You can save the graph to file with this option.

Print

This option allows you to print the graph.

Zoom in / out

You can select to zoom in and out along one or both axis with this option.

Auto Range


This feature allows you the set automatic scaling along one or both axis.

Zoom to range...

In the popup dialog "Zoom to range..." it is possible to set the minimum and maximum of the left vertical axis.

🛍 Zoom	to range	×
Enter min a	nd max for the vertical left axis	
min	5 🗘 max	12.0 🗘
	ОК	Cancel

This manually entered range will stay that way until the user starts zooming again. This functionality is activated when from the zoom tool the drop-down option "Allow Vertical Axis Zoom" is selected.




Changing the view period

Since 2020.01 it is possible to move the view period to the first or to the last data point available. The buttons are in the following order:

- move to first datapoint available of selected time series (the length of the period will remain the same)
- move one full viewperiod back
- move a half viewperiod back
- move a half viewperiod forward
- move a whole viewperiod forward
- move to the last datapoint available of selected time series (the length of the period will remain the same)
- set view period to include all data of selected time series

The Graph and Editor display has a table and an edit mode.



The most left column shows the date and time of the data. The period displayed spans the overall period defined in the filters for all time series.

The colours in the headings of the columns correspond with the line colour in the graph.

In the date/time column different colours are used to provide a logical meaning to certain important moments:

- Light blue: historical data, either observed or hindcast (data before T~0~)
- Dark blue: forecast data (data after T~0~)

For the data columns the background colour is used to indicate the quality of the data, identified by the data flags set of the Validation utility. Further, an indication of the editability of the data is given by the the background colour. The meaning of the background colours in the data fields is:

- White: reliable, editable
- Light yellow: doubtful
- Bright yellow: unreliable
- Gray: not editable

The font colour in the data fields indicates the data origin. Following colours are used:


- Black: original data
- Blue: corrected (original data flagged "Unreliable" and interpolated)
- Magenta: completed (original data missing and interpolated)

The edit mode can be enabled from the toolbar with the Enable Edit mode button. Data (only those with a white background) can be edited by double clicking a field in the column. Editing may be done in the table directly. The result of an edit action is directly displayed in the corresponding graph. Manually corrected data will be saved to the database by disabling the Edit mode again from the toolbar. A pop-up will ask to save the edited data to the database. With **[OK]** the data is saved, **[NO]** the data is not saved and with **[Cancel]** changes will be undone.

Through manual editing of data, the source of the data changes from original to corrected. The font colour used for edited data is blue to indicate that it is completed data. The background colour remains white, as the data has not yet been validated. If however, after pressing [**Apply**] validation indicates that the value exceeds certain validation limits, the background colour will be set accordingly.


ReadOnlyPeriod

Since 2020.01 it is possible to "freeze" part of a time series and make that part uneditable. This can be useful if the values need to be evaluated and verified, than used in different systems. This ensures that they all contain the same data, and that cannot change. This can be done by configuring a ReadOnlyPeriod. This contains a relative time, and a time series filter. All time series that match the filter become uneditable before the given relative time. Exempel configuration:



In this case, data older than 2 days before the system time, in a time series where the location ID is LocA, becomes uneditable.

You can configure as many readOnlyPeriods as you wish. They should be configured in the TimeSeriesDisplayConfig, following scrollerDefaultViewPeriod. The image bellow shows the time from when the time series becomes uneditable. "Frozen" time series can be edited, if "enable editing read only period" option is selected. Time series that are entirely uneditable remain so.



Editing data labels

Data labels can also be edited from the Table when the Enable Edit mode is active. Press the right mouse button when selecting one or multiple cells in the table and select the Mark option. It is now possible to change the data label of a value to reliable, doubtful, etc.. or remove the Manual Data Label Marks. A special data label is the Persistent Void or Persistent Unreliable data label, this label is used by the secondary validation module.

Fill Missing Data Shift Values in Time Apply Expression Apply Calibration Trend to value	Ctrl+T Ctrl+F Ctrl+M Ctrl+N	Reliable Suspect Void Persistent void Dried	Ctrl+R Ctrl+D Ctrl+U Ctrl+Shift+U Ctrl+Y
Add Comment Clear Comments	Ctrl+Insert	Inundated Ice	Ctrl+N Ctrl+I
Mark Show History	Ctrl+H	Remove Manual	Marks Shift+Delete

Note: It is not possible to change the data label of a missing value.

Editing Data

Copy and Paste Timeseries



A selected timeseries can be copied to the clipboard with the Copy selected timeseries button. Up to 10 series can be copied and kept on the clipboard. Duplicate entries to the clipboard are ignored.

The latest copied series can be pasted with the Paste selected time series button. Any of the other items on the clipboard can be selected and pasted using the dropdown to open Paste from previous selection.

Paste from previous selection	×
STFB3ME QIN (CFS) 2 hours STAGEQ_STFB3ME_ST	G2Q_F
	_
OK Cancel	


Historic Events

A special option in the Data Display is the option to add historic events to the chart window. These events can be predefined and included in the configuration. Alternatively, dependent on the set-up of the system (existence of an Deltares Open Archive), they can be defined in the Archive Catalogue Display.

To show historic events for a specific location take following steps:

- · Select the location from the location list box in the FEWS explorer
- Select the parameter from the parameter list box
- Open the chart display by pressing the chart button

• Press the _____ button in the Chart Display and select one of the historical events from the list




A new (red) line will be added to the chart. This event line can now be shifted forwards and backwards in time using the "+" and "-" keys on your keyboard. To activate this shift procedure press the [Historic Events] button in the Chart Display and select Shift Time.

A small pop-up window shows that you can now shift the historic event forwards and backwards by pressing the "+" or "-" keys on your keyboard. When the shift procedure is completed press [Done].


Seamless Archive integration

Seamless integration automatically augments the data record through on-the-fly downloads from the OpenAchive. This only works for external historical datatypes!


First press the button "Connect to the external data source". Fews starts looking for the data, relevant for the plot, in the Open Archive:



When any relevant data is found (i.e. at least a matching locationId and parameterId), the button "Read data from the external data source" becomes enabled :




Press the button "Read data from the external data source", and the data will be read and shown in the plot :



Longitudinal profile


Since release 2007.02, the display offers also the opportunity to show longitudinal profiles. In such graph, the parameter values (Y-axis) are plotted against the river chainage (X-axis). The graph can progress over time, eitehr step by step or animated, via the time control toolbar, described in the Spatial display. both the graph and table will change over time as they shown data along the profile.

Longitudinal profiles can be simply added to the display by configuration of timeSeriesSet's with value type longitudinal profile in the config file DisplayGrou ps.xml



Rating curve

The display offers also the opportunity to show rating curves. In such graph, the rating curve stage values are plotted against discharge values. By default stage is shown on the Y-axis and discharge on the X-axis. Configure stageAxisOrientation 'horizontal' in TimeSeriesDisplay config if the axes should be switched. Rating curve display shows the rating curve that belongs to the location selected in the table or in the chart legend. If this location has multiple rating curves with different qualifiers, rating display shows a list where the specific rating curve can be selected




Displaying gaugings along with the rating curves

Since release 2019.02 it is possible to display gaugings (observations of level and discharge (velocity) combinations) along with the rating curve. To show the observations in rating curve display, follow these steps:

- 1. open TimeSeriesDialog with the time series you want to see along with the rating curve,
- 2. open rating curve display for required location,
- 3. select option "Show selected stage and discharge as scatter plot" from the drop down menu of the button "Rating Curves" (on the TSD toolbar),
- 4. select one stage series and one discharge series from the time series table or from the chart legend. The selected series will be shown as scatter plot along the rating curve. All values in the chart zoom period will be displayed. The number of values shown can be changed by changing of the zoom period.

Note that the selected series must be stage and discharge, it means the series parameter must be from the same parameter group as the rating curve parameters configured in Parameters.xml. Other series selection will be ignored.




Category plot


A This graph type is available in DELFT-FEWS versions 2011.01 and higher.

In Category plot the parameter values (X-axis) are plotted against the locations (Y-axis).

The graph can progress over time, either step by step or animated, via the time control toolbar. Both the graph and table will change over time The detail description of the time toolbar can be found in the paragraph Spatial display.



If there are more subplots in a plot, a separate table wil be created for each subplot.



Configuration

To show the data in the category plot, the 'category' plot viewer type should be specified in DisplayGroups.xml with element <plotViewerld>:

```
<plot id="MODISCategory1Plot">
   <subplot>
        <timeSeriesSet>
            <moduleInstanceId>ImportModis</moduleInstanceId>
            <valueType>scalar</valueType>
            <parameterId>OWA</parameterId>
            <qualifierId>Aspect-ID 0</qualifierId>
            <locationSetId>ImportModis</locationSetId>
            <timeSeriesType>external historical</timeSeriesType>
            <timeStep unit="hour" multiplier="1"/>
            <relativeViewPeriod unit="hour" start="-24" end="4"/>
            <readWriteMode>read only</readWriteMode>
        </timeSeriesSet>
        <timeSeriesSet>
            <moduleInstanceId>ImportModis</moduleInstanceId>
            <valueType>scalar</valueType>
            <parameterId>SFR</parameterId>
            <qualifierId>Aspect-ID
                                    0</gualifierId>
            <locationSetId>ImportModis</locationSetId>
            <timeSeriesType>external historical</timeSeriesType>
            <timeStep unit="hour" multiplier="1"/>
            <relativeViewPeriod unit="hour" start="-24" end="4"/>
            <readWriteMode>read only</readWriteMode>
        </timeSeriesSet>
    </subplot>
    <plotViewerId>category</plotViewerId>
</plot>
```

Restrictions

The category plot can be customized in TimeSeriesDisplay.xml and in DisplayGroups.xml, similar to the other plot types. However not all configuration elements are applicable to the category plot. If these elements are still configured, they wil be ignored. The category plot is only applicable to scalar timeseries.

Storing 'favorites'


The data selection made in the Data Viewer can be stored through its toolbar. This allows for storing favorite data selections / graphs in the user settings. More information on this functionality can be found in the location parameter selection section of the FEWS Explorer page.

```
<readOnlyPeriod>
<relativeTime value="-2" unit="day"></relativeTime>
<timeSeries>
<locationId>LocA</locationId>
</timeSeries>
</readOnlyPeriod>
```

Long Term Scroller

For viewing a longer period than is shown in specific graphs, the long term scoller can be openen via the button highlighted in red below.

It will open a zoomed out graph were a smaller period can be selected via the black vertical lines. The red vertical line shows the display time and the green vertical line the system time.



History popup

When clicking ctrl+H on a value, a popup will appear which shows the history of data on that time step.

A Bedekking [%] Groeivorm Bedekking Selecter alles Ctrl.A 30_02 Ever 30_02 Selecter kolom Ctrl.Space 23-07-2019 00:00 Selecter regel Shift-Space 23-07-2019 00:00 Selecter regel Shift-Space 23-07-2019 00:00 Selecter regel Ctrl.A Bewar als Ctrl+Alt-F Expressiefilter Ctrl+Shift-S Bewar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijd Shift-F2 Bewerken tijd Shift-F2 Selecter nijdstip Insert Bewerken tijd Shift-F2 Bewerken tijd Shift-F2 Porwijder handmatige wijziginger > Opvullen ontbrekende data > Opvullen ontbrekende data Ctrl-W Wissen > Opvullen ontbrekende data Ctrl-M Expressie toepassen Ctrl-M Kalibreer waarden Ctrl-M Commentaar > Markeer >					
CET/CEST Groeivorm Bedekking Emerse zone Emerse zone HH-W11A:2010 Selecteer alles Ctrl.A S0_02 Ever 30_02 Selecteer kolom Ctrl-Space Selecteer regel Shift-Space Selecteer regel Shift-Space Selecteer regel Ctrl+Alt.F Expressiefilter Ctrl+Alt.F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl+W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijdstip Ctrl-X Verwijderen tijdstip Ctrl-X Verwijder nandmatige wijzigingen Verwijder nandmatige wijzigingen Verwijder nandmatige wijzigingen Verwijder nandmatige wijzigingen Opvullen ontbrekende data Verwijder nandmatige wijzigingen		Bedekking[%]			
CET/CEST Emerse zone HH-W11A/2010 Flab (Floati 30_02 Ever 30_02 23-07-2019 00:00 23-07-2019					
Flab (Floating 30_02 Ever 30_02 Selecteer alles Ctrl-A 30_02 Selecteer kolom Ctrl-Space Selecteer regel Shift-Space Selecteer regel Shift-Space Vergroot selectie Ctrl+A Filterboom Ctrl+Alt-F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl+Shift-S Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Se Invoegen tijdstip Insert Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Knippen Ctrl-V Wissen > Opvullen ontbrekende data > Cypressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N	CET/CEST	Emerse zone Emerse zone			
30_02 Ever 30_02 Selecteer alles Ctrl-A 23-07-2019 00:00 Selecteer regel Shift-Space 23-07-2019 00:00 Vergroot selectie Ctrl-E Filterboom Ctrl+Alt-F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl+W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Perioder tijdstip Insert Previjderen tijdstip Ctrl-Backspace Verwijder handmatige wijzigingen > Plakken Ctrl-V Wissen > Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kaibreer waarden Ctrl-M Trend naar waarde Ctrl-N					
23-07-2019 00:00 Selecteer regel Shift-Space Vergroot selectie Ctrl-E Filterboom Ctrl+Alt-F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl+W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijd Shift-F2 Insert Selecterne Verwijderen tijdstip Ctrl-Backspace Verwijder handmatige wijzigingen Verwijderen Knippen Ctrl-V Kopiëren > Opvullen ontbrekende data > Copvullen ontbrekende data > Expressie toepassen Ctrl-M Trend naar waarde Ctrl-N			Selecteer alles	Ctrl-A	
Vergroot selectie Ctrl-E Filterboom Ctrl+Alt-F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl-W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 3<		30_02	Selecteer kolom	Ctrl-Space	
Filterboom Ctrl+Alt-F Expressiefilter Ctrl+Shift-X Markeer in workflow navigator Ctrl-W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijd Insert Image: Provider of tightstip Insert Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Shift-F2 Plakken Ctrl-X Vissen > Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-N Commentaar Ctrl-N	23-07-2019 00:00		Selecteer regel	Shift-Space	
ExpressiefilterCtrl+Shift-XMarkeer in workflow navigatorCtrl-WBewaar alsCtrl+Shift-SBewerken waardeF2Bewerken tijdShift-F2Bewerken tijdstipInsertImage: Provider handmatige wijzigingenCtrl-BackspaceVerwijder handmatige wijzigingenVerwijder handmatige wijzigingenImage: PlakkenCtrl-XMissenCtrl-VWissen>Opvullen ontbrekende data>Expressie toepassenCtrl-MTrend naar waardeCtrl-NCommentaar>			Vergroot selectie	Ctrl-E	
Markeer in workflow navigator Ctrl-W Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijd Insert Image: Invoegen tijdstip Insert Image: Verwijder handmatige wijzigingen Ctrl-Backspace Verwijder handmatige wijzigingen Verwijderen Image: Verwijder handmatige wijzigingen Ctrl-X Kopiëren > Image: Plakken Ctrl-V Image: Verwijder ontbrekende data > Opvullen ontbrekende data > Image: Ctrl-M Trend naar waarde Ctrl-M Image: Commentaar >			Filterboom	Ctrl+Alt-F	
Bewaar als Ctrl+Shift-S Bewerken waarde F2 Bewerken tijd Shift-F2 Bewerken tijd Insert Bewerken tijdstip Insert Bewerken tijdstip Ctrl-Backspace Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Knippen Ctrl-X Kopiëren > Plakken Ctrl-V Wissen > Opvullen ontbrekende data > Copvullen ontbrekende data > Ctrl-M Trend naar waarde Ctrl-N Commentaar >			Expressiefilter	Ctrl+Shift-X	
Bewerken waardeF2Bewerken tijdShift-F2Bewerken tijdstipInsertImage: Invoegen tijdstipInsertImage: Verwijderen tijdstipCtrl-BackspaceVerwijder handmatige wijzigingenVerwijder handmatige wijzigingenVerwijder handmatige wijzigingenCtrl-XImage: NopiërenCtrl-XImage: NopiërenCtrl-VImage: NopiërenCtrl-NImage: NopiërenImage: NopiërenImage: NopiërenCtrl-NImage: NopiërenImage:			Markeer in workflow navigator	Ctrl-W	
Bewerken tijd Shift-F2 Invoegen tijdstip Insert Invoegen tijdstip Ctrl-Backspace Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Verwijder handmatige wijzigingen Ctrl-X Kopiëren > Plakken Ctrl-V Wissen > Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N			Bewaar als	Ctrl+Shift-S	
Invoegen tijdstip Insert ✓ Verwijderen tijdstip Ctrl-Backspace ✓ Verwijder handmatige wijzigingen ✓ Verwijder handmat			Bewerken waarde	F2	
→ Verwijderen tijdstipCtrl-Backspace Verwijder handmatige wijzigingenKnippenCtrl-XKopiëren>PlakkenCtrl-VWissen>Opvullen ontbrekende data>Expressie toepassenCtrl-FKalibreer waardenCtrl-MTrend naar waardeCtrl-NCommentaar>			Bewerken tijd	Shift-F2	
Verwijder handmatige wijzigingen			Invoegen tijdstip	Insert	
		∃	Verwijderen tijdstip	Ctrl-Backspace	÷
Kopiëren > Plakken Ctrl-V Wissen > Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N Commentaar >			Verwijder handmatige wijziginger	ı	
PlakkenCtrl-VWissen>Opvullen ontbrekende data>Expressie toepassenCtrl-FKalibreer waardenCtrl-MTrend naar waardeCtrl-NCommentaar>		Х	Knippen	Ctrl-X	
Wissen > Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N Commentaar >			Kopiëren		>
Opvullen ontbrekende data > Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N Commentaar >		l i	Plakken	Ctrl-V	
Expressie toepassen Ctrl-F Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N Commentaar >			Wissen		>
Kalibreer waarden Ctrl-M Trend naar waarde Ctrl-N Commentaar >			Opvullen ontbrekende data		>
Trend naar waarde Ctrl-N Commentaar >			Expressie toepassen	Ctrl-F	
Commentaar >			Kalibreer waarden	Ctrl-M	
			Trend naar waarde	Ctrl-N	
Markeer			Commentaar		>
			Markeer		>

	Q	Type here t	Toon historie
--	---	-------------	---------------

Gewijzigd op Workflow/Gebruiker Waarde Vlag Validatie Commentaar Resultaatdatum Meetinstanti	
	Resultaattijd
25-05-2021 10:50:02 Erik Pelgrim 3 corrected reliable 23-07-2019 AQUON	14:50
11-05-2021 11:43:27 wf_Import_IMmetingen_Biologie 0 original reliable 23-07-2019 AQUON	14:50

Ctrl-H