Hydrotel general adapter config example

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- édité avec XMLSpy v2017 rel. 3 (http://www.altova.com) par Simon Lachance-Cloutier (MIN. DU DEV. DURABLE,
DE L'ENV) -->
<generalAdapterRun xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wldelft.nl/fews" xsi:
schemaLocation="http://www.wldelft.nl/fews http://fews.wldelft.nl/schemas/version1.0/generalAdapterRun.xsd">
        <general>
                <description>Hydrotel Model for $FCAST_LOC$</description>
                <piVersion>1.5</piVersion>
                <rootDir>%REGION_HOME%/Modules/hydrotel</rootDir>
                <workDir>%ROOT_DIR%</workDir>
                <exportDir>%ROOT_DIR%/input</exportDir>
                <exportDataSetDir>%ROOT_DIR%</exportDataSetDir>
                <exportIdMap>IdExportHydrotel</exportIdMap>
                <importDir>%ROOT_DIR%/output</importDir>
                <importIdMap>IdImportHydrotel</importIdMap>
                <dumpFileDir>$GA_DUMPFILEDIR$</dumpFileDir>
                <dumpDir>%ROOT_DIR%</dumpDir>
                <diagnosticFile>%ROOT_DIR%/diagnostics/diagnostic.xml</diagnosticFile>
                <missVal>-999</missVal>
                <timeZone>
                        <timeZoneName>EST</timeZoneName>
                </timeZone>
        </general>
        <activities>
                <startUpActivities>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/*.nc</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/*.info</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/*.csv</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/etat/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/hgm/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/hydro/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/info/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/meteo/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/neige/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/physio/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/physitel/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/prevision/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/simulation/simulation/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/simulation/simulation/resultat/*.*</filter>
                        </purgeActivity>
```

```
                        <purgeActivity>
                                <filter>%ROOT_DIR%/input/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/output/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/input/states/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/output/states/*.*</filter>
                        </purgeActivity>
                        <purgeActivity>
                                <filter>%ROOT_DIR%/diagnostics/*.*</filter>
                        </purgeActivity>
                </startUpActivities>
                <exportActivities>
                        <exportStateActivity>
                                <moduleInstanceId>update_run_Hydrotel_$FCAST_LOC$</moduleInstanceId>
                                <stateExportDir>%ROOT_DIR%/etat</stateExportDir>
                        </exportStateActivity>
                        <exportDataSetActivity>
                                <moduleInstanceId>HydrotelAdapter</moduleInstanceId>
                        </exportDataSetActivity>
                        <exportDataSetActivity>
                                <moduleInstanceId>Hydrotel_$FCAST_LOC$</moduleInstanceId>
                        </exportDataSetActivity>
                        <exportNetcdfActivity>
                                <exportFile>debit.nc</exportFile>
                                <timeSeriesSets>
                                        <timeSeriesSet>

<moduleInstanceId>fcast_run_preprocess_hydrotel_$NWP$_$FCAST_LOC$</moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>Q.sim.3h</parameterId>
                                                <locationId>$UP_FCAST_LOC_1$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="0" endOverrulable="true"/>
                                                <readWriteMode>add originals</readWriteMode>
                                                <ensembleId>main</ensembleId>
                                        </timeSeriesSet>
                                </timeSeriesSets>
                        </exportNetcdfActivity>
                        <exportNetcdfActivity>
                                <exportFile>meteo.nc</exportFile>
                                <timeSeriesSets>
                                        <timeSeriesSet>
                                                <moduleInstanceId>merge_obs_forecast_$NWP$</moduleInstanceId>
                                                <valueType>grid</valueType>
                                                <parameterId>P.forecast.3h</parameterId>
                                                <locationId>Grille_$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>merge_obs_forecast_$NWP$</moduleInstanceId>
                                                <valueType>grid</valueType>
                                                <parameterId>T.forecast.3h</parameterId>
                                                <qualifierId>Max</qualifierId>
                                                <locationId>Grille_$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                        </timeSeriesSet>
```

```
                                        <timeSeriesSet>
                                                <moduleInstanceId>merge_obs_forecast_$NWP$</moduleInstanceId>
                                                <valueType>grid</valueType>
                                                <parameterId>T.forecast.3h</parameterId>
                                                <qualifierId>Min</qualifierId>
                                                <locationId>Grille_$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                        </timeSeriesSet>
                                </timeSeriesSets>
                        </exportNetcdfActivity>
                        <exportNetcdfActivity>
                                <exportFile>corrections.nc</exportFile>
                                <timeSeriesSets>
                                        <timeSeriesSet>
                                                <moduleInstanceId>prepare_hydrotel_fct_corr_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>EEN.corr.3h</parameterId>
                                                <qualifierId>$NWP$</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                                <ensembleId>main</ensembleId>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>prepare_hydrotel_fct_corr_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>P.fact.3h</parameterId>
                                                <qualifierId>$NWP$</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                                <ensembleId>main</ensembleId>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>prepare_hydrotel_fct_corr_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>P.corr.3h</parameterId>
                                                <qualifierId>$NWP$</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
                                                <ensembleId>main</ensembleId>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>prepare_hydrotel_fct_corr_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>TES.fact.3h</parameterId>
                                                <qualifierId>$NWP$</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                                <readWriteMode>read only</readWriteMode>
```

```
                                        <ensembleId>main</ensembleId>
                                </timeSeriesSet>
                                <timeSeriesSet>
                                        <moduleInstanceId>prepare_hydrotel_fct_corr_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                        <valueType>scalar</valueType>
                                        <parameterId>T.corr.3h</parameterId>
                                        <qualifierId>$NWP$</qualifierId>
                                        <locationId>$FCAST_LOC$</locationId>
                                        <timeSeriesType>simulated forecasting</timeSeriesType>
                                        <timeStep id="3HR_EST"/>
                                        <relativeViewPeriod unit="hour" start="-240" startOverrulable="
true" end="168" endOverrulable="true"/>
                                        <readWriteMode>read only</readWriteMode>
                                        <ensembleId>main</ensembleId>
                                </timeSeriesSet>
                        </timeSeriesSets>
                </exportNetcdfActivity>
                <exportNetcdfRunFileActivity>
                        <exportFile>%ROOT_DIR%/info_execution.nc</exportFile>
                        <properties>
                                <string key="sortiesHydrotel" value="TMIN;TMAX;PLUIE;NEIGE;APPORT;
PRODUCTION BASE;PRODUCTION SURF;PRODUCTION HYPO;THETA1;THETA2;THETA3;DEBITS AVAL;COUVERT_NIVAL"/>
                                <bool key="sauvegardeEtats" value="false"/>
                                <int key="resultsOffset" value="180"/>
                        </properties>
                </exportNetcdfRunFileActivity>
        </exportActivities>
        <executeActivities>
                <executeActivity>
                        <description>run hydrotel preadapter</description>
                        <command>
                                <className>nl.deltares.hydrotel.HydrotelPreAdapter</className>
                                <binDir>%ROOT_DIR%/HydrotelAdapter<
/binDir>
                        </command>
                        <arguments>
                                <argument>%ROOT_DIR%/info_execution.nc</argument>
                        </arguments>
                        <logFile>
                                <file>%ROOT_DIR%/hydrotel_pre_adapter.log</file>
                                <infoLinePattern>*</infoLinePattern>
                        </logFile>
                        <timeOut>300000</timeOut>
                        <ignoreDiagnostics>true</ignoreDiagnostics>
                </executeActivity>
                <executeActivity>
                        <description>run hydrotel model</description>
                        <command>
                                <executable>%ROOT_DIR%/../hydrotel-bin/hydrotel.exe</executable>
                        </command>
                        <arguments>
                                <argument>%ROOT_DIR%/projet.csv</argument>
                        </arguments>
                        <timeOut>300000</timeOut>
                        <ignoreDiagnostics>false</ignoreDiagnostics>
                </executeActivity>
                <executeActivity>
                        <description>run hydrotel postadapter</description>
                        <command>
                                <className>nl.deltares.hydrotel.HydrotelPostAdapter</className>
                                <binDir>%ROOT_DIR%/HydrotelAdapter</binDir>
                        </command>
                        <arguments>
                                <argument>%ROOT_DIR%/info_execution.nc</argument>
                        </arguments>
                        <logFile>
                                <file>%ROOT_DIR%/hydrotel_post_adapter.log</file>
                                <infoLinePattern>*</infoLinePattern>
                        </logFile>
                        <timeOut>300000</timeOut>
```

```
                                <ignoreDiagnostics>true</ignoreDiagnostics>
                        </executeActivity>
                </executeActivities>
                <importActivities>
                        <importNetcdfActivity>
                                <importFile>resultats.nc</importFile>
                                <timeSeriesSets>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>Q.sim.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>AV.sim.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>T.sim.3h</parameterId>
                                                <qualifierId>Min</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>T.sim.3h</parameterId>
                                                <qualifierId>Max</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>P.sim.3h</parameterId>
                                                <qualifierId>Liquide</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>P.sim.3h</parameterId>
                                                <qualifierId>Solide</qualifierId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
```

```
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>Prod.base.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>Prod.hypo.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>Prod.surf.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>theta1.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>theta2.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>theta3.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                        <timeSeriesSet>
                                                <moduleInstanceId>run_hydrotel_$NWP$_$FCAST_LOC$<
/moduleInstanceId>
                                                <valueType>scalar</valueType>
                                                <parameterId>EEN.sim.3h</parameterId>
                                                <locationId>$FCAST_LOC$</locationId>
                                                <timeSeriesType>simulated forecasting</timeSeriesType>
                                                <timeStep id="3HR_EST"/>
                                                <readWriteMode>add originals</readWriteMode>
                                        </timeSeriesSet>
                                </timeSeriesSets>
```

```
                        </importNetcdfActivity>
                </importActivities>
        </activities>
</generalAdapterRun>
```